मेरठ विकास प्राधिकरण, मेरठ।

Tender.No-01 Date 01.07.2015



निविदा प्रपत्र

कार्य का नाम:- : प्राधिकरण की ट्रक चैसिस पर 13 मी0 ऊँचा

एलिवेटर / हाईड्रोलिक प्लेटफार्म स्थापित करने का कार्य।

निविदा विक्रय की तिथि:- : 30.06.2015 तक

निविदा खोलने की तिथि एवं समय : 01.07.2015

धरोहर राशि : रू० 18000 / —(बतौर एफ०डी०आर० प्रभारी अधिकारी वाहन के

पक्ष मे)

निविदा मूल्य : रू० 570 / - (नजारत कार्यालय से प्राप्त करें)

नोट:- कार्य की शर्ते / स्पेशिफिकेशन / प्राईज सैड्यूल संलग्न है। अन्य विवरण:- संलग्नक अनुसार

निविदादाता के हस्ताक्षर

प्रभारी अधिकारी वाहन मे0वि०प्रा०, मेरठ

Meerut Development Authority, Meerut.

Tender.No-01

Sealed Tenders are invited for the following works so as to reach the Meerut Development Authority, Meerut. Opposite Police Lines, Meerut latest by dated 01.07.2015 at 3:00 P.M.

Name of Work: प्राधिकरण की ट्रक चैसिस पर 13 मी0 ऊँचा एलिवेटर / हाईड्रोलिक प्लेटफार्म स्थापित करने का कार्य।

S.No.		Estimat						
	ltem	ed	Earnest	arnest Cost of				
	Supply of Truck mounted, hydraulically operated platform/		Money In Lakhs	Tender	Completion			
	Elevator working height upto 13 mtr. above road surface with an outreach of 6.5 mtr. for servicing street light etc. chasis .The platform shall be suitable of self working load of 200 Kg.							
		8.84	0.18	570.00	1 माह			

नियम व शर्तेः

- 1- निविदाएं मूल निर्माता / फर्मों को ही विक्रय की जायेंगी।
- 2- निर्माता / फर्मी का स्माल स्केल इन्ड्रस्ट्रीज में रजिस्ट्रेशन होना अनिवार्य है।
- 3— निर्माता / फर्मों द्वारा न्यूनतम 5 मशीनों की आपूर्ति विभिन्न सरकारी विभागों एवं अन्य विभागों को की गई हो।
- 4— निर्माता / फर्मों द्वारा मशीन को उपलब्ध कराने के उपरान्त आर0टी0ओ0 कार्यालय में पंजीकरण कराने में सहयोग करना होगा।
- 5— शेष नियम व शर्तें ब्राउशर के अनुसार ही रहेंगी।
- 2.Tender will be opened at 4.00 P.M. on 01.07.2015 and the tenders are welcome to be present.
- 3. The work must be completely finished in accordance with the contract documents with in the time prescribed as mentioned above form the date order of the to commence work.
- 4.The notice copies of the drawings and other documents per tainting to the work will be open for inspection by the tender at the office of the Meerut Development Authority during working hours after 29-06-15 day of 30-06-15 blank tender forms along with other documents can be obtained from the office of the Meerut Development Authority during hours on payment of cost as above per set.
- 5.Each tender must be accompanied by deposit mentioned above as earnest money in any of the following forms.
- 6.(A) Government Securities, municipal debentures or bonus of any other corporation owned or controlled by department part trust bonds or receipt of any scheduled bank in India pledged to Meerut Development Authority, Meerut.

(B)National Saving Certificate/National Plan certificates / Defense Savings/National Defense Certificates pledged to Meerut Development Authority Meerut.

(C) Post Office Savings Bank Pass book pledged to Meerut Development Authority, Meerut.

7.Sales Tax & Other Taxes if any on materials in respect of this contract shall be payable by the contractor and Meerut Development Authority, Meerut will not entered in and claim whatsoever in this respect. No tenders shall be permitted to tender for works in the Meerut Development Authority. Where any near relative of this is posted in the service of Meerut Development Authority, Meerut.

8. The expression tender of self used in this clause include any partner or director of the tendering firm company as the case may be.

9. The tenders are advised to see the site of the work and they will be deemed to have fallterised them selves with the scope of work local conditions, drawings, specification. Conditions of contract etc. before submitting their tenders.

- 10. Tenders shall remain open for acceptance for period of three months from the date opening of tenders.
- 11. Canvassing in any form will disqualify a tender.
- 12.All rates shall be quoted on the bank form of the tender supplied by the Meerut Development Authority. Tenders with rates quoted on private paper are liable to be rejected.
- 13. The notice inviting tender shall form art of the contract when concluded.
- 14.Unless the person whose tender is accepted sign a contract and deposits the security secifie3d iinpart-5 above within seven days after he is revised to do so the earnest many deposited by him or equivalent amount out of the general security deposit will be forfeited.
- 15.On acceptance of the tender the name of the accredited representative of the contractor. Who would be responsible for taking instruction form the Engineer in charge shall be communicated to the officer selling for tenders.

16.In consideration of the Meerut Development Authority having treated the tenders to be an eligible person whose tender should be considered that tenders agree to the condition that the proposal iin response to invitations shall not be with drawn by tenderer within the said period the earnest money deposited by him nay be forfeited to the Meerut Development Authority, Meerut.

17.If subsequent to submission of his tender any tenderer amends, alter, notified the contents of his conditions tender shall deemed to have with are now acceptable to the authority then for their purpose of his condition tender shall deemed to have withdrawn his proposals.

18.At the time of preparation of contract bond stamp duty of Rs-8.00%. Shall be deposited by the contractor on the amount E/M of the tender. This shall be minimum of Rs-80.00. And further stamp duty on fraction of Rs. 1000 @ 8.00%.

- 19. Authority reserves the right to accept or reject the tender in part or in full.
- 20. Conditional tenders are liable to be rejected.
- 21. For non compliance with any of the above instruction the tender is able to be rejected.

Material conditions & general specifications :-

- 1- All work shall be carried out in the accordance with the U.P.P.W.D. detailed specifications modified upto date.
- 2- MATERIALS :- All materials to be used in the work shall be of new and of quality and kind specified in the current U.P.P.W.D. detailed specification.
- 3- Sand: 3/4 Fine sand, this shall confirm to be latest U.P.P.W.D. detailed specification & shall be free from silt, clay & foreign matter and shall be free form site have the desired quality, brought form Jamuna or Ganga rige. To obtain the desired finesse modules of the fine sand, if required the coarse sand be balanced with the fine sand available.
- 4- Coarse Sand :- This shall be of approved quality brought form approved quantity the sand shall be screened & shall be at the lineness modules of 2.2 to 3:6.
- 5- Bricks :- The brick shall be best locally available Ist class bricks approved by the Engineer in charge brought form approved brick klin.
- 6- All the conditions of G.P.W. form no. 9 of U.P.P.W.D. shall be applicable & part of the contract.
- 7- The contractor shall have to sign farkhati at the time of final bill.
- 8- The tender shall be subjected to the conditions given in the tender notice of the tender shall be submitted along with stamp paper of Rs. 10/- signed by the contractor, which shall be part of the agreement.
- 9- At the time of preparation of contract bond stamp duty of 8.00% shall be deposited by the contractor on the amount of earnest money of the tender. This shall be minimum of Rs. 80.00 & further stamp duty of fraction at Rs. 1000/- @ Rs. 8.00%.
- 10- I/We tender our rates above/below of the rates given in the bill of quantity as above.
- 11- The earth work will be done by road roller & mixing of L.C. & P.C.C. will be done by contract mixture arranged by contractor on his own expenditures.
- ·Strike out whichever is not applicable.

Postal Address & Mobile No.	Signature of Contractor	
Officer Inviting Tender	Officer Receiving Tender	Officer Opening Tender
Officer December 1		o
Officer Recommeded		Officer Accepting Tender

मेरठ विकास प्राधिकरण,मेरठ।

निविदा	पद्वति से सीआप इक्यूपमेन्ट एण्ड ऐससरीज की सप्लाई एवं मैन्युफैक्विरिंग
1—	निविदा दाता अधिकृत फर्म का नाम
2-	आप निम्नलिखित में से किस फर्म / कम्पनी का प्रतिनिधित्व करते है स्पष्ट विवरण दे।
	पब्लिक लिमिटेड कम्पनी
	व्यक्तिगत स्वामी
	साझेदारी
3—	पंजीकरण सं0 व वर्ष(जिस वर्ष संस्था पंजीकृत हुई है।
4-	नवीनीकरण कब तक की अवधी के लिए हैं
	टेलीफोन नं0 कार्यालयआवासफैक्स नं0
	मुख्य कार्याकारी अधिकारी का नाम व पता
	टेलीफोन नं0 कार्यालयआवासफैक्स नं0
5—	पत्र व्यवहार का पूरा पता दूरभाष सहित
6-	निविदा दाता का राष्टीयकृत बैंक में खाता सं0 ब बैक का पूरा नाम
•	निविदादाता द्वारा किया गया निविदित मूल्य रूपये—
	निविदादाता द्वारा उक्त मशीन की सप्लाई के उपरान्त मशीन के सही कार्य करने की
	गारेन्टिड अवधीवर्ष।
	प्राधिकरण द्वारा उपलब्ध करायी गयी नियम-शर्तों का अध्ययन कर लिया गया है
	जो मुझे मान्य है।
आवेदन	विधि निविदादाता के हस्ताक्षर

मुख्य शर्तें

(हाइड्रोलिक प्लेटफार्म / ऐलिवेटर मशीन का निर्माण एवं आपूर्ति)

- 1. निविदा की दरें शब्दों एवं अंकों में साफ होनी चाहिए तथा यदि शब्दों एवं अंकों में कोई अंतर पाया जाता है, जो तो दर कम होगी वही मानी जायेगी।
- 2. निविदा की दरें छः माह तक वैध मानी जायेगी।
- 3. निविदा फर्म के साथ दी गयी स्पेसिफिकेशन के अनुसार ही ऐलिवेटर हाइड्रोलिक प्लेटफार्म मशीन का निर्माण करना होगा।
- 4. अनुबन्ध के लिए स्टाम्प पेपर एवं अन्य व्यय का खर्च निविदादाता को स्वयं वहन करना होगा।
- 5. वही निविदादाता निविदा में प्रतिभाग कर सकते हैं, जिनके पास स्वयं की कर्मशाला है तथा उनके द्वारा कर्मशाला का वैध प्रमाण पत्र भी निविदा के साथ संलग्न करना अनिवार्य है।
- 6. एक फर्म या ठेकेदार को एक से अधिक निविदा फार्म नही दिया जायेगा।
- 7. ऐलिवेटर हाइड्रोलिक प्लेटफार्म मशीन की आपूर्ति करने से पहले विभाग को कर्मशाला / हाईड्रोलिक प्लेटफार्म का निरीक्षण करवाना अनिवार्य होगा।
- 8. निविदा के साथ कुल रू० 18000 / की धरोहर राशि संलग्न करना अनिवार्य है। बिना धरोहर राशि के निविदा पर विचार नहीं किया जायेगा।
- 9. निविदादाता को डायरेक्ट्रेट आफ इन्डस्ट्रीज व आयकर में रजिस्ट्रेशन होना अनिवार्य है।
- 10. ऐलीवेटर में लगने वाले स्पेयर्स की उपलब्धता फर्म के पास दस वर्ष की अवधि तक होना अनिवार्य है तथा इस सम्बन्ध में रूप 10/— के नान जुडिशियल स्टैम्प पेपर पर नोटरी प्रमाणित शपथ पत्र भी निविदा के साथ संलग्न करना अनिवार्य होगा।
- 11. निविदा के प्रत्येक पृष्ठ पर मय मुहर निविदादाता के हस्ताक्षर होना अनिवार्य है।
- 12. निविदादाता को सप्लाई करने की अवधी का उल्लेख करते हुये मशीन के सही कार्य संचालन की कम से कम एक वर्ष की गारन्टी देनी होगी।
- 13. किसी भी निविदा को बिना कारण बताये स्वीकार / अस्वीकार करने का अधिकार प्राधिकरण का होगा।
- 14. किसी भी विषय पर विवाद उत्पन्न होने की स्थिति में उपाध्यक्ष मेरठ विकास प्राधिकरण का निर्णय अन्तिम होगा।
- 15. सप्लाई की गयी मशीन को चलाने हेतु प्राधिकरण द्वारा नामित वाहन चालक को कम से कम एक माह की अवधि तक निविदादाता फर्म द्वारा प्रशिक्षण दिया जायेगा।
- 16. निविदा स्वीकृत होने तथा उक्त मशीन के निर्माण हेतु प्राधिकरण द्वारा चेचिस उपलब्ध कराने के दिनांक से 30 दिन के अन्दर मशीन उपलब्ध करानी होगी।
- 17. मशीन का पूर्ण भुगतान 5 प्रतिशत सिक्योरिटी काटते हुए मशीन व एसेसरिज की आपूर्ति उपरान्त किया जायेगा।
- 18. निविदादाता द्वारा पूर्व में कम से कम 5 मशीनों की मैन्यूफैक्चरिंग तथा सप्लाई का विवरण देना अनिवार्य होगा।

TECHNICAL SPECIFICATION OF HYDROLIC PLATFORM OF 13 MTRS HEIGHT

WORKING HEIGHT : 13 MTRS

MAXIMUM OUTREACH : 6.5 MTRS

MAXIMUM HEIGHT FROM : 11.5 MTRS

BASKET FLOOR :

SAFE WORKING LOAD : 200 KG

POWER : THROUGH P.T.O.

PLATFORM CAGE OF FIBER : 1.1X0.8X1.1 MTRS

TECHNICAL SPECIFCATIONS OF HYDRAULIC ACCESS PLATFORM 13 MTRS WORKING HEIGHT.

TRUCK MOUNTED, HYDRAULICALLY OPERATED PLATFORM WORKING HEIGHT UPTO 13 MTRS ABOVE ROAD SURFACE WITH AN OUTREACH OF 6.5 MTRS FOR SERVICING THE STREET LIGHT ETC. CHASSIS. THE PLATFORM SHALL BE SUITABLE OF SAFE WORKING LOAD OF 200 KGS.

SUPERSTRUCTURE:-

FABRICATION OF SUPPLIED CHASSIS WITH SPACIFICALLY DESIGNED BOOM FOR MAXIMUM FILE AND OPTIMUM RIGIDITY.

- THE VECHILE CAN CARRY A CREW OF 2 MEMBERS IN THE CABIN AND ADDITIONAL 2 MEMBERS ALONG WITH EQUIPMENT OF THE PLATFORM.
- AS THE EQUIPMENT AS FULLY INDIGENOUS AND BASED ON AUTOMOTIVE TECHNOLOGY, SPARE REPAIRES FACILITIES WILL BE READILY AND CHEAPLY AVAILABLE ALL OVER THE COUNTRY AND MEERUT SPARES STOCKING WILL BE NEGLIGIBLE.
- > AS THE EQUIPMENT IS MANUFACTURED INDIGENOUSLY AND FULL FACILITIES FOR AFTER SALES SERVICE ARE AVAILABLE WITH US THROUGH OUR WELL TRAINED SERVICE ENGINEERS.

OPERATING SPECIFICATIONS:-

BOOM SHEET : 5 MM THICKNESS

WORKING HEIGHT : 13 MTRS

MAXIMUM HEIGHT OF

BASKET FLOOR : 11.5 MTRS
OUT REACH : 6.5 MTRS
SLEWING : 360 DEGREE
INSULATION OF BUCKET : 600 VOLTS

SAFE WORKING LOAD : 200 KG.

CONTROL PANNEL : AS THE BASIC AND AS WELL AS

AT BUCKET OF THE PLATFORM

DUAL CONTROL.

PAINTING : AS PER CHOICE

SAFETY FEATURE:

PROVIDED WITH LOAD HOLDING VALVE PILOT OPERATED CHECK VALVE ON STABILIZED EMERGENCY HANDPUMP IN CASE OF ENGINE OR HYD. FAILURE.

HYDRAULIC:

PUMP : GEAR/VANE(DOWTY)

VALVE : SPOOL TYPE MONO BLOCK

MAX PRESSURE : 140 KG/CUM/2000 PSI

CAPASITY : 20 LTR/MIN

BOOM CYLINDER : 100 MM BORE (02 NOS)

STABILIZER CYLINDER : 02 NOS AT REAR

Junior Engineer, Meerut Development Authority, Meerut. Prabhari Adhikari (Vechile)/ Supretendent Engineer Meerut Development Authority, Meerut.

ANNEXURE -1

Tender invited by Prabhari Vahan/ Supretendent Engineer Meerut development authority, Meerut (U.P.) Tender notice No. 01, dated 01-07-2015
Name of tender/ work: प्राधिकरण की ट्रक चैसिस पर 13 मी0 ऊँचा एलिवेटर / हाईड्रोलिक प्लेटफार्म स्थापित करने का कार्य।
In consideration of the Meerut Development Authority having treated tenderor to be an eligible person whose tender may be considered the tenderor hereby agrees to the conditions that the proposals in the above invitation shall not be withdrawn within three months from the date of opening of the tender and also to the condition that in case after the tender as withdrawn his proposal within the stipulated period, the earnest money deposited by him shall be forfeited by the Meerut Development Authority. I hereby agree to the effect that if subsequent to the submission of my tender, a modification is made by me in respect of contents of my tender which is not acceptable to the Meerut Development Authority, it may be DEEMED as withdrawn of my proposal and consequently I am liable for action as above. I abide by all the rules and regulations of Meerut Development Authority, Meerut.
Signed thisday of
Signed by day of day of
(seal of the firm)

Important Notice: This undertaking is to be signed by the contractor on stamp paper of Rs.

10/- only. This is to be submitted along with the tender, failing which the tender is liable to be rejected. This undertaking shall be attested from Public Notary.

MEERUT DEVELOPMENT AUTHORITY, MEERUT

BILL OF QUANTITY

Name of Work: Supply and fabrication of hydralically oprated platform /Elevator Working Height 13 Mtr.

Sl.No.	Details of wok	Qty &Unit	Rate
1	Supply of Truck mounted,	01 No.	
	hydraulically operated platform/		
	Elevator working height upto 13		
	mtr. above road surface with an		
	outreach of 6.5 mtr. for servicing		
	street light etc. chasis .The		
	platform shall be suitable of self		
	working load of 200 Kg.		

NOTE:- The rate of the above item is all specification as mentioned in tender document covering.

Per	· Unit	total	cost	of bio	l Item	n in	words	Rs.	í	í	í	í	í	í	í	í	í	í	In
figureí í	íí	í í í	ííi	í í í	í í í	íí	íííí	í											

Signature of Contractor/Manufacturer with Stamp