Tendere No-02 TENDER DOCUMENT

VOLUME: I

TECHNICAL BID

Name of Work I jut dqM frjigsI seavy ik Msuxj ¼ < ji Mr rd igpekz 1½ rd vicuukysdsfduljsNcy I fdVZ33 d9010 ylb i f- MqNxd k dk; I

Note: The tenderer must read carefully every page of the details, conditions of technical bid and submit in the sealed envelop of technical bid after signing of each page of the conditions.

Year -2015-16

Executive Engineer

TECHNICAL BID

NAME OF WORK:- I jut dqM frjigs I sezy ik Nsuxj ¼ < jill rd igp ekk 2 ½ rd vicusky sdsfdulj sNcy I fd V 2 33 d 9010 y lb 1 f · k 1 | N x d k dk 2

Estimated Cost : 229.56

Cost of Tender : 5700.00

Earnest Money : 13.48 लाख

Time of Completion : 04 Month

Defects Liability Period 12 Manth from the actual

Date

Validity of Tender : 03 Month

Date of Receipt of Tender : 15.09.2015

Date of Opening of : 16.9.2015

Contractor Cat. A+

(1) Technical Bid [RFQ] :

(2) Financial Bid : Laterly Informed to successful

bidder in [RFQ]

TECHNICAL - BID

INDEX

Sl.no	Items	Page No.
1	Earnest money details	1-2
2	Instructions to the tenderer	04 - 05
3	General terms & conditions of tender	06
4	Special conditions of the contract	07 - 14
5	Additional conditions of the contract	15 - 22
6	Conditions /Instructions and important notes for	
	"ELECTRICAL WORKS"	23 - 26
7	Special checks & specifications for works	27 - 30
8	Special conditions for prequalification marks	31 - 34
9	Appendix A Details of work completed/ running	35
10	Appendix B Solvancy certificate	36
11	Appendix C Detais of staff employed	37
12	Appendix D machinery,T & P.	38
13	Annexure-1 Affidavit on Rs 10/- Stamp paper	39
14	Financial Bid conditions	40 - 42

EXCUTIVE ENGINEER

S.L. NO-2

Name of work: - I jut dqM frjigsl sexy ik Msuxj 1/4<jilli rd igp ekk 21/2rd vicuulysdsfduljsMcy I fdV233 d9010 ylbiz f• kf | Mxd k dk; 2

CONTRACTOR

IMPORTANT NOTICE

Mere issuance of tender papers does not confirm eligibility.

The eligibility will finally be decided based on the documents Attached & furnished by the tenderer in their %RRE-QUALIFICATION BID+

Executive Engineer

INSTRUCTIONS TO THE TENDER:

- The tender shall be submitted as two bid system in accordance with the procedures detailed here in specified documents shall be submitted in envelope of appropriate size, which shall be duly sealed.
- 2 Conditional tender will not be considered.
- 3 Tender documents are to be submitted in two envelopes marked No. 1 shall contain for Technical Bid and marked No. 2 for Financial Bid. The details of documents to be submitted with each envelope are given below.

LIST OF DOCUMENTS TO BE SUBMITTED

The details or document to be submitted with each envelope are given below:

ENVELOPE MARKED -1 (Technical Bid)

- 1 Earnest money in the shape of NSC/FDR/CDR of schedule bank duly pledged in favour of Vice-Chairman, Meerut Development Authority, Meerut
- 2 Duly filled up pre-qualification documents appended with the tenders.
- 3 List of works satisfactorily completed during the last three financial years in Govt./Semi-Govt along with certificates (Attested copy) clearly indicating Date of start, date of completion, amount of work actually executed. Experience certificates should clearly indicate the head bifurcation of work i.e. Road, Drain, Sewer, Building, Electrical etc.
- Proof of Liquid Assets duly certified by nationalised/Scheduled bank and issued not before six months as per pre-qualification requirement as per Appendix %L+ (original or attested copy will be entertained).
- Latest income tax clearance Certificate. Valid till date (Original or attested copy) clearly indicating turn over of last three assessment years. In case, ITC not available then Audited Balance Sheet duly counter sig. By C.A. for last three years clearly indicating turnover and TDS may be included.
- 6 List of tools and plants. Affidavit by Notary on minimum Rs. 10/- non judicial stamp paper (original)
- 7 List of Technical staff with their qualification professional experience and length of the service with the firm Affidavit by Notary on min. Rs. 10/- non-judicial stamp paper (original)
- 8 Original Copy / Attested copy of the partnership deed if it is a partnership firm and Attested copy of registration certificate in case of company, sole proprietorship declaration in the case of sole proprietorship firm.
- 9 Authority letter in original or attested by notary not more than one year old of the firm/tenderer in favour of the person who has signed the tender documents with telephone No. and complete postal address.
- 10 Failing in compliance any of the above conditions will lead to rejection of tender.

ENVELOPE MARKED – 2 (Price Bid)

- 1 Price bid duly filled in all respects in the original tender documents.
- 2 Non judicial stamp paper of Rs. 100.00 (Rupees Hundred Only) of U.P. along with Rs. revenue stamp.

SYSTEM TO OPEN TENDERS:

- 1 Envelope No. 1 containing the earnest money deposit and pre-qualification documents shall be opened first on specified date and time.
- 2 Envelope No. 2 containing the sealed price bids of only pre-qualified tenders shall be opened on the fixed date. The quotes rates of various tenders will be read out Tenderers desirous to be present shall be allowed at the time of opening of price bid.

Executive Engineer

M.D.A. Meerut.

GENERAL TERMS AND CONDITIONS OF TENDER

- 1 Earnest money is required to be deposited in the shape of NSC/FDR/CDR of the Scheduled Bank of India duly pledged in favour of V.C., M.D.A. Meerut. Earnest Money deposit shall be 2% of the Estimated cost of the work.
- 2 Tender of the firms who have litigation in Court of Law against MDA will not be considered.
- 3 Tenders of firms liable to be rejected who have failed to complete the work timely and work is still pending for more than a year in the Authority.
- 4 Tender documents shall be available for sale from office of the Chief Engineer MDA after depositing the cost of tender in account office to the Cashier M.D.A., Meerut.
- 5 Tender will be received up to 3.00 P.M. dated as mentioned in tender notice and the prequalification bids shall be opened on the same date at 4.00 P.M. in the presence of available tenderers.
- 6 The financial bids of the pre-qualified bidder shall be opened on predeclared date at 4.00 PM in the office of CEMDA.
- 7 V.C. MDA reserves the right to reject any or all tenders without assigning any reasons.
- 8 Defect liability period for the executed work shall be **one year** after the actual date of completion.

9. **JOINT VENTURE FIRM**:

Firms forming joint venture for qualifying in the pre - qualification bid of said tender are not eligible. Experience / turn over / liquid assets of joint venture firm working under one name may be considered. Individual experience / liquid assets of constituents firms shall not be added in joint venture firms.

Executive Engineer

M.D.A. Meerut.

SPECIAL CONDITIONS OF THE CONTRACT

GENERAL

- 1 These special conditions shall be read in conjunctions with the General conditions of the contract. Where the provisions of these Special Conditions are at Variance with the provisions of the General Conditions of the contract the provisions of these special conditions shall take precedence.
- 2 The Contractor is expected to be well conversant with the conditions of GPW from 9 as applicable to MDA, works (General conditions of the contract) which shall be part of the agreement.
- 3 The tenderer are advised to see carefully the site of work and structural / architectural drawings etc. before actually submitting their tender. The structural / architectural drawings for the work under the scope of this tender can be seen in the office of the CE/EE, MDA, Meerut on any working day between 11:00 A.M. to 4:00 P.M.

TENDERER TO ENSURE AND NOTE

- 4 The tender is to be addressed to the Executive Engineer, M.D.A. and should be submitted with the name of the work written on the cover as per directions given in instructions to the tenderers. The tenders may either be sent by Registered Post or may be deposited in the tender box specially kept for the purpose in the office of the C.E. M.D.A. Meerut and in Allahabad bank Extension Counter at M.D.A. main office. No excuse for the late receipt of the tenders due to loss or delay in postal transit shall be considered.
- 5 No page for the tender shall be removed and the entire set must be submitted, as it is, Failure to comply the instructions may result in the rejection of the tender.
- All entries made by the tenderer should be in one link and should be legible Tender should not contain erasures and corrections and if any they should bear the dated initials of the tenderer. The tenderer must sign each page of the tender.
- 7 No additions of alternations are permitted in the tender papers. If tenderer does so, the same shall not be considered and such tender is liable to be rejected.
- 8 Any tenderer not fulfilling all the conditions is likely to be rejected.
- 9 No refund of the cost of tender is claimable for tenders not accepted or for tenders not submitted.
- 10 Contractor has to sign the agreement after submission of stamp paper within ten days from the date of award of the work. In case of delay on the part of the contractor beyond ten days, a penalty of Rs 1000/- per day will be imposed and shall be recoverable from contractor and will be deducted from any dues of Contractor.

EARNEST MONEY AND SECURITY DEPOSIT

- 11 If the contractor withdraws his offer/tender, or modified his offer/tender, before acceptance of the tender, his entire earnest money at the time of tender will be forefitted by the authority.
- 12 The contractor shall have to deposit the required earnest money at the time of tender.
- 13 The contractor, whose tender is accepted will be required to furnish amount by way of security deposit for the fulfillment of the contract, as follows:
 - In the case of works estimated to cost up to Rs. 1,00,000/- to 10% of the estimated cost.
 - b) In the case of works estimated to cost more than Rs. 1,00,000/- and up to Rs. 2,00,000/- to 10% on the first Rs. 1,00,000/- and 75% on the balance and.

- c) In the works estimated to cost more than Rs. 2,00,000/- to 10% on the first Rs. 1,00,000/- 7.5% on the next Rs. 1,00,000/- and 5% on the balance.
- 14 The tenderer shall submit Non-Judicial Stamp Paper Purchased only from treasury (as per stamp act and G.O. dated 14-08-2002 if I.G. Registration) of following value.
 - 14.1 Rs. 125.00 per thousand in case of cash security according to article 40-A.
 - 14.2 Rs 70.00 per thousand in case of F.D.R/N.S.C./K.V.P. etc according to article 40-B
- 14.3 Rs. 100.00 only in case of guarantee of two persons as third party according to article 57.
 - 14.4 Rs. 5.00 per thousand to the maximum of Rs. 10,000.00 in case of Bank Guarantee according to article 12-A.
- 15 The earnest money deposited by the unsuccessful Tender shall be returned with in thirty days from the days of acceptance of the tender of within 30 days or receiving the request from tenderer whichever is later.
- 16 After the acceptance of the tender, the earnest money of the successful Contractors shall be
 - converted into the Security deposit.
- 17 The Security deposited shall be refunded to the contractor after expiry of, for development works

six months and for building works twelve moths from the actual date of completion of work in full

only if no imperfections become apparent in the work during defect locality period.

REGARDING MATERIALS

- 18 All the materials for the works shall be arranged by the contractor at his own cost.
- 19 All the material collected by the contractor during execution of work or otherwise shall be properly stacked and arranged as directed by the Engineer-in-Charge.
- 20 Contractor shall have to make their own arrangement for water and electricity at the site of work. The water should fit for drinking in case the authority supplies the water, the contractor shall have to pay charges at rate fixed by Authority.
- 21 M.D.A. shall give necessary recommendation letter to the concerned authority for giving water and power connection to the contractor. However any delay in getting water or power connection shall not entitle the contractor for any compensation or extension in completion period.
- 22 The stone ballast and grit will be blue textured and free of soft pieces the guage of the ballast shall be as per detailed latest specifications of CPWD/PWD including all correction Slips till date.
- 23 The contractors is to stack the metal at the road beams first according to the size of complete with stack number as directed by the E/I and no metal shall be stacked on road embankment. The metal shall be allowed to spread for consolidation only after recording of measurements and taken into road metal account register.
- 24 A deduction @ 7.5% shall be made from stack measurements of stone metal to arrive at net quantity for the purpose of payment.
- 25 Cement and steel shall have to be arranged by the contractor only from the approved manufacture / re-rollers who hole ISI license only cement and steel should be ISI marked and to the entire satisfaction of the E/I. Test certificate for steel will have to submitted by the contractor at the time when steel will be supplied at site.
- 26 With each lot of material arranged by the contractor for construction work he shall produce proper receipt of purchase from the manufacture-roller.
- 27 The contractor has to arrange the test certificates of each lot from an approved test laboratory. Engineer-in-charge, MDA shall have the right to take sample for testing as per CPWD / ISI norms or directed by the Engineer in charge and get it tested. The contractor shall bear all charges of sampling, carriage and testing etc.

- 28 The cement shall be stored at site of work as per B/S requirement and shall be kept under double lock and key system by the contractor at his own cost.
- 29 The Contractor in a register at site shall keep complete accounting of material purchased and consumed. All register at site shall have machine numbered pages.
- 30 The contractor shall provide at his own cost proper storage facility for the materials brought by him to prevent any loss, damage or deterioration of the same.
- 31 The contractor shall confine his equipment storage of materials operation of his works and people to the limits as directed by the E/I and shall not unnecessary spread over the premises with his materials and hutment.
- 32 The Contractor shall make arrangement for watch and ward of the material at his own cost.
- 33 All the materials and workmanship shall be as per specifications described in the contract and in cases not covered in the contract these shall be in accordance with the E/I instructions and shall be subjected from time to the tests as the E/I may direct at places of manufacture at the work site or in the MDA Laboratory or recognized laboratory of the city the contractor Shall provide conveyances labour and material required for examining measuring and testing of the work and a quality of materials, used contractor shall supply sample of the materials get them approved before using in the work. The cost of such conveyance, labour and materials, provided for testing purpose, testing charges and for examining the work and for proper completion of the same shall be borne by the contractor and no extra payment shall be made for the same.
- 34 Samples makes of materials / equipments (electrical) and item of work shall have to be got approved by the contractor from EII before execution.
- 35 The contractor shall ensure to consume the within its expiry date. The material if consumed after the expiry date the affected work will have to be dismantled or the recovery shall be made by the Authority at the rate of double the cost of work in which such materials consumed.

LABOUR REGULATIONS

- 36 The contractor will have to follows all existing rules and regulations of the Govt. and labour department regarding the labour employed by him without entitling him for any extra claim on this account.
- 37 The contractor shall be responsible for the damages (s) done to any property of injury to any person whatsoever caused by him or any body in his employment or caused in consequence of his work. He will indemnify and keep the Govt. indemnified against claims demands proceedings charges. Cost charges and expenses whatsoever in respect of or in relation to any such injuries or damage. The contractor shall take a necessary precautions for the safety of his employees on the work and shall comply with all applicable provision of safety laws and building codes to prevent accident or injuries to persons on the work.

EXECUTION OF WORK

- 38 All drawings and designs will be supplied according to the necessity of the particular work and the contractor will not have any claim for compensation in case of late supply of necessary design drawings.
- 39 For caring out the work the contractor shall be provided with one set of working drawing. Additional copies if required will be supplied to him on payment of additional charges as decided by Engineer-in-Charge.
- 40 The contractor shall be wholly responsible for setting out the works and for the corrections of the positions levels dimensions and alignment according to the plan/drawings including all necessary instruments page poles, etc and other material required for the purpose to the satisfaction of E/I.

- 41 The work shall be executed as per program drawn by the contractor and approved by the E/I. If the part of the site is not available due to any reason the program of the contractor
- 42 If the Engineer-in-charge, MDA shall find that the work progress is slow and feels that the work will not be completed in the time specified then the Engineer-in-Charge, Meerut Development Authority, shall order the contractor to work day and nights and / or on holidays and the contractor shall obey these orders without objection or request for compensation. No compensation whatsoever shall be paid on this account.
- 43 In the event of working at night, the contractor shall provide sufficient lighting safety arrangements for working staff to the satisfaction of the Engineer-in-charge, MDA Any order or approval issued under this clause by the Engineer-in-charge, MDA shall not relieve the contractor from of diminish his obligation under the contract.

CONTRACTORS SUPERVISORY STAFF

- 44 Within fifteen days of the registration of the contract bound the contractor shall have to notify in writing the names of his two authorized Representatives. One of them will always be available at the site of work to receive technical order and the other for instruction for issue of material sand other miscellaneous works. The contractor shall be fully responsible for the order received by his representative or the materials received by his representative.
- 45 The contractor shall provide sufficient supervision to the work using the skill and attention. He shall deploy following experienced engineer on the work throughout its currency.

Works costing more than Rs. 25.00 Lacs	One diploma Engineer
and up to 50.00 Lacs	
Works costing between Rs. 50.00	One Graduate Engineer
and up to 100.00 Lacs	One diploma Engineer
Works costing between Rs. 100.00 to	Two Graduate Engineer
500.00 Lacs	Two diploma Engineer
Works costing between Rs. 500.00 to	Two Graduate Engineer
and above	Three diploma Engineer

The Engineers deployed by contractor shall be got approved in writing from the Engineer-in-charge (whose approval at any time can be withdrawn) for supervision of the work and to receive directions and instructions of the work from E/I. on behalf of contractor. The supervisory staff of the contractor shall not be changed without obtaining the approval of E/I. In, he event of non presence of these Engineers, Authority will deduct @ Rs 10,000.00 PM per graduate Engineer and @ Rs. 6,000.00 PM per diploma Engineer which will be non refundable. The decision of Executive Engineer in regards to presence and/or absence of such engineer from the work shall be final and binding upon the contractor. The contractor will have to remove and person employed on the work if ordered by the E/I for any reason.

46 If the contractor does not use at site the T&P as mentioned in the Appendix **£**Qthe same shall be arranged by the authority and the necessary deductions for the rental of machinery

and T&P shall be made from contractors bills or penalty as deemed fit shall be imposed for which no claim shall be entertained.

WORK TO BE DONE AS PER SPECIFICATIONS

- 47 The specification to be follows for the execution of the works shall be:
 - a) The latest MOST/CPWD/PWD specification for works with correction slips up to date of receipt of tender.
 - b) Relevant ISI standard for work not covered by the above.
 - c) Material bearing ISI Mark shall be given first preference for use in works for all articles without ISI marks the quality shall be judged by the relevant ISI specifications.
- 48 The Bill of Quantities is to be read in conjunction with the Form of tender drawings conditions of contract specifications as these documents are jointly explanatory and descriptive of the works included in contract. In case of contract amongst description of the items (s) specifications conditions and drawings, the following order of precedence shall be followed.
 - a) Provision as per direction of items (s)
 - b) Provision in special conditions of contract.
 - c) Provision in specification
 - d) In absence of above the decision of Engineer-in-charge shall be final & binding.
- 49 All works under or in course of execution or executed in pursuance of the contract shall at all times be open to the inspection and supervision of the E/I and other authority Officials at all times during the usual working hours all other times, If notice for the inspection of site by the E/I or any other official is given to the contractor should either himself be present to receive orders and instructions or contractors agent shall be considered to have the same force as if they had been given to the contractor himself. The contractor shall also provide all facilities necessary for inspection of the work by the E/I or their official for which n payment shall be made to the contractor.

Engineer-in-charge MDA shall have the right to inspect the work and related documents either through their authorized officers or any agencies appointed for such purpose as and when the need is felt in order to assess the work progress, the quality of material used in the constructions issued in pursuance of the above inspections.

50 SITE ORDER BOOK shall be maintained at the site of the work in which instructions shall be given to the contractor or in his absence by his authorized representative or agent and in such case it will be presumed the same have been conveyed to him in time.

VARIATIONS

51 The quantities given in the bill of quantities are approximate and are liable to variation up to 10% on either side without entitling the contractor to any compensation or extra rate.

RATE

- 52 In giving their rates the Tenderer should take in to account all fluctuations of the market as no claim shall be entertained on this account during the acceptance of the tender and currency of the contract.
- 53 The tendered shall be for all completed items of the work and shall includes all quarry royalties, testing, screening, tools and plants railway freight, carriage of materials to site, stacking and removal charges of any rejected materials and municipal taxes, octori etc. and all other taxes in force from time to time.
- 54 Tendered rates are inclusive of all taxes and levies payable under the respective statutes. However pursuant to the constitution (Forty Sixth Amendment) Act. 1982 if any further tax of levy is imposed by state, after the date of receipt of tenders, and the Contractors there upon necessarily and properly pay such taxes / levies, the contractor shall be reimbursed the amount so paid provided such payment, If any, is not in the opinion of C.E. (whose decision shall be final and binding) attributable to delay in executing of work within the control of the contractor.
 - a) The contractor shall keep necessary books of accounts and other documents for the purpose of this condition as may be necessary and shall allows inspection of the same by a duly authorized representative or as the Engineer-in-charge may require.
 - b) The contractor shall within a period of 30 days of imposition of any further tax of levy Pursuant to the constitution (Forty Sixth Amendment) Act 1982 gives a written notice thereof to the Engineer-in-charge may require.
 - c) No escalation on any account shall be paid.
- 55 Rates quoted shall be considered to be for all height unless specified otherwise.

PAYMENT

- 56 The contractor shall submit monthly running bills to the MDA for the work completed by him during the month. The Engineer-in-Charge MDA shall check the bill and 75% payment shall be made for the citified amount within 15 days of submission of bill, balance amount due against this bill shall be released after the same is cleared by the MDA. Security deposit recovered reaches the total figure outlined in clause 1 of GPW Form . 9. The certificate of the Engineer-in-charge, MDA regarding the sum payable against bills shall be final and conclusive.
- 57 Any claim, during the period of contract will be submitted in writing within the currency of the contract bond failing which the claim shall not be entertained.
- The contractor shall sign %No claim certificate+on running bills and in case of any claims or extra item he must mention the item and rate and Qty. specifically otherwise no claim shall ne entertained later on. Payment of claim shall only be made as within decided by the competent authority in MDA.
- 59 Sales tax with surcharge shall be deducted on the gross amount of the work done for all the payment made to the contractor according to the provision of U.P. Sales Tax Act modified from time to time.
- 60 The contractor shall submit a certificate along with each bill that full labour payment has been made by the contractor till the end of the preceding month.
- 61 The provision of an item in the bill of quantities will not entitle payment for the same in case if forms part of any other item as per specifications, Special conditions of contract through the same may have not been specifically in the description of the item (s).
- 62 The contractor shall have to sign FARKHATI at the time of final bill.

SECURED ADVANCE:

63. Secured Advance on Materials

The Contractor on signing an indenture in the form to be specified by the Engineer-in-charge, Meerut Development Authority by allowed "Secured Advance" on the security on materials to the extent of 75% of the estimate value of major materials which in the opinion of the Engineer-in-charge, Meerut Development Authority are non perishable and are in accordance with the contract and which have been brought on the site in connection therewith and are adequately stored and/or protected against damage by weather or other causes but which have not at the time of advance been incorporated in the work. When materials on account of which an advance has been made under this sub-clause are incorporated in the works, the amount of such advance shall be deducted from the last payment made under any of the clauses of this contract. An indenture bound on Rs.100.00 non-judicial stamp prepared and submitted.

ABNORMALLY HIGH/LOW RATES

64. In the case of abnormally low rated items, the minimum quantity stipulated in the agreement must be executed and no reduction in quantity shall be allowed without prior approval of the competent authority.

65. THE ORIGINAL CONSUMPTION OF MATERIAL

After the completion of the work the theoretical quantity of cement to be used on the works shall be calculated on the based on PWD/CPWD statements showing quantities of cement to be used in different items of work provided in the Delhi schedule of rates applicable to the agreement but for the items on which DSR is not applicable the consumption of cement shall be decided the E/I of the work. Over this theoretical quantity of cement further variation on either side shall also be allowed as under.

Maximum permissible percentage

2% (Two percent)For all works

The variations in respect of other materials shall be as per norms in Central P.W.D. work/U.P.P.W.D.

The cost of quantity of cement, steel, bitumen or any other material less used than the theoretical quantity allowing variation of minus side shall be recovered from the contractor at two times of issue rates.

CO-OPERATION WITH OTHER AGENCIES

66. The contractor shall not put hindrance to any person or to other Contractors authorized by the department to carry out works of any nature entrusted to them.

The Contractor shall have to allow the other party to work and adjust his work accordingly and no claim shall be entertained on this account. In case of any dispute the decision of the E/I shall be final and binding upon all the parties concerned.

67. The contractor shall do his work in such a way that the work of other contractor is not hampered.

MISCELLANEOUS

- 68. The contractor shall treal all materials obtained during dismantling of a structure, excavation of the site of work etc. as Governments property and such materials shall be disposed of to the instructions in writing issued by the Engineer-incharge.
- 69. The normal working hours shall be from 8.30 A.M. to 5.30 P.M. and no work shall be carried out on Sunday and on gazetted holidays without specific permission of the E/I No claim whatsoever shall be entertained on this account.
- 70. The contractor shall at all times keep the premises free from accumulated waste material or rubbish caused by his employees on the work and on completion of the work he shall clear away whole site of such material and fill up the borrow pits made by him. He will leave whole of the site and works clear in a workmanlike manner. Nothing extra shall be paid to the contractor for this clearing up. The contractor shall maintain and keep the area in agreed sanitary condition, which is used by men engaged in the work by him. He shall remove and clear all structures etc. Which may have been set up by the Contractor for accommodating his labour on the completion of the work to the satisfaction of the Engineer-in-charge Meerut Development Authority.
- 71. In case of any dispute the decision at C.E./S.E. Meerut Development Authority shall be final and binding on the contractor.
- 72. No claim for the interest will be entertained by the Meerut Development Authority in respect of the deposits mentioned in the contract or in respect of any money or balance which may be in their hands owing to any disputes between the MDA and the contractor or in respect of any delay on the part of Meerut Development Authority in making monthly payments or otherwise.
- 73. The contractor shall have to make arrangements at his own cost for temporary accommodation for the office staff and the laborers residence at the site of work. Suitable area of land shall be earned marked to contractor to put the labour comp. Contractor shall however be responsible to hand over the site to Meerut Development Authority duly cleared from all encumbrance immediately after completion of work failing which completion certificate of the contract shall not be issued.
- 74. Stamp duty will be paid as per rule/order.

- 1. For Electrical works, approved "A" category certificate of electrical safety directorate shall be necessary.
- No extra cost for claim will be admissible for adopt in those special conditions/ instructions mentioned in the following paras. These conditions should be thoroughly studied and taken into account by the contractor while tendering and signing the contract agreement.
- 3. All works should be carried out as per latest U.P.P.W.D./U.P.P.C.L., Vikas Pradhikaran specification laid down for external electrical works.
- 4. All the items, fixtures to be used on the work shall be as per drawing and U.P. P.W.D./U.P.P.C.L. Vikas Parishad specifications as mentioned and sample shall to be govt. approved by the E/I. Necessary drawings maybe made available by the E/I.
- 5. The Contractor must visit site and office and understand the specifications of material of the works.
- 6. The contractor shall only store such material at site, which are to be used in the work. Material which are not to be used in the work material of inferior quality shall not stored at site without the written permission of the E/I, MDA is not bound to provide free storage or place to the contractor. The Contractor shall have to make his own arrangement at his own cost.
- 7. The contractor shall remove all the defects till the works is handed over to Uttar Pradesh Power Corporation, Ltd. And he will cooperate and help him handing over the work.
- 8. The work shall be opened for inspection by the Technical Audit Cell or any inspecting authority constituted by the GTDA and defects pointed out by them will have to be removed by the contractor as his own cost, within given years of finalisation of the bound, incase the contractor fails to rectify those defects, actions for recovery of amount required for rectification of these defects shall however be taken by the Authority.
- 9. The contractor to whom is allotted may have to produce on demand by the MDA purchase vouchers, challan etc. From the principal manufacture of authorised dealer for verification of correct supply of material. The contractor will have to submit on demand the satisfactory test certificate of materials used in the works which shall be issued from the principal manufacturer or dealer.
- 10. The Authority is not responsible for arranging any material whatsoever and the contractor will have to complete the work specified time with specified material, Non, availability of material delay in arrival of the consignment shall not be entertained as an excuse for extension of time for completion of work.

- 11. Tender will remain open for acceptance upto be three months tenders will have no right to revise tender within this period. However the department may negotiate in this context.
- 12. General maintenance period will be **one year** form the date of bill approved by vice chairman M.D.A. The security of the contractor deposited deducted from the bill will be admissible for refund after the above mentioned maintenance period during this period the contractor will remove all defects and lapses in execution, if any pointed cut by U.P.P.C.L from time to time.
- 13. The contractor will submit a drawing of the electrification work executed the drawings paper approved by the Engineer-in-charge before payment of the final bill and alongwith no claim certificate statement of accessories used without any additional cost in four sets the cost included in the estimated cost on the tendered work.

14. Mode of quoting the rates:

The tenders shall quote their rates on OVER ALL BASIS .AS% above/below in financial bid..

- 15. The contractor will take care that while construction of lines and substation the Indian Electricity rules are followed in respect of clearance safety sag etc. the sag should be as per I.S.S. and to the satisfaction of Engineer-in-charge.
- Mode of measurement of over had conductor and earth wire will be by weight and will be calculated by measuring the distances from centre to centre of the pole and computing the weight of the conductor of the that size and length by using standard table plus 3% extra shall be allowed for wastage sag. Jointing binding jumpering etc.

17. Completion report.

After completion, test result on the prescribed performa a Appendix 4 U.P.P.W.D. schedule clauses 107, 314, 414) and route layout position of Poles duly marked on the Housing scheme building site plan, shall be submitted by the contractor. The portion of the building etc. damaged during the erection of installation shall be repaired property to original finish and colour of the building etc by contractor on his cost.

- 18. The successful tender will have to sign an Indemnity Bond on a Rs. 100/- non Judicial Stamp paper duly attested by the Notary.
- 19. Before tending the rates contractor should carefully study the Electrical construction manual of U.P.P.C.L. all the items used where the drawing are not available final decision of engineer-in-charge of the work will have to be accepted by the contractor

- 20. The successful tender/contract will be fully responsible for any damage of his men or any damage or 3rd party of their property or MDA property caused by him during the work.
- 21. In case of any dispute arising in execution of the agreement the matter will be reffered to MDA for decision which will be final and binding on the contractor.
- 22. The contractor will also be responsible to obtain necessary approval of the work executed by him from the chief Electrical inspector to the U.P. Government and also to get line energized from the U.P.P.C.L Necessary fees or charges as required will be paid by the MDA on production original receipts.
- 23. The contractor shall not without the consent in writing of the executive engineer sublet his contract other than the raw materials.
- 24. The contractor shall at all items provide sufficient notice and caution board, lights and watchmen to protect and warn the public and guard the work.
- 25. The contractor will have to complete all the work within the time allowed but due to any Unavoidable circumstances if the contractor requires the extension of time, be will apply to the executive Engineer/Asstt. Engineer on inland letter through registered post giving the full details of rca on for granting of extension of time.
- 26. 25% payment of the work done will be temporarily deducted and will be released after successfully completing the work and handing it over to U.P.P.C.L. / Nagar Nigam.
- 27. The final payment of the work shall be given to the contractor after successfully testing and handing over the work to U.P.P.C.L./ Nagar Nigam as required by E/I/C.
- 28. If the complete work or any portion there of be found to be defective or it fails to fulfill the requirements of the contract the contractor shall forthwith made the defects goof for contract.
- 29. The contractor will also maintain first aid box etc at the site of works and follow rules aplicable to control from time to time.
- 30. The successful tenderer will also be fully responsible to obtain the approval of drawing design of the work from the U.P.P.C.L. before starting the work.
- 31. The contractor will have to get the material to be used at site inspected by the Department before starting the work.

- 32. Any additional information regarding the work will be available at the office of Engineer. In- Charge (Electrical) on any working day. Contractor will produce gate pass/Inspection report of material used to the department before claiming the bill.
- 33. Successful tenderer will have to ensure the inspection and testing of material by PVVNL prior to starting the work and also handing over of work to PVVNL / Nagar Nigam Meerut.
- 34. The maintenance period (complete with material) of the work completed will be one years from the date of handing over the work to PVVNL / Nagar Nigam Meerut.
- 35. Firm will be responsible to obtain required permission from Sahyak Nideshek viduyt suraksha meerut before energising the work the work done.
- 36. Successful tendered will have to bear the expenses incurred in the testing of the material at manufacturing unit by the engineer in charge or person nominated by 35- Successful tenderer will have to ensure the matreial testing and handing over of work to PVVNL /Nagar Nigam Meerut.

37- the Maintenance period (complete with matreial) of the work completed will be one years from the date of handing over the work to PVVNL /Nagar Nigam Meerut.

38Running payment will only be made after installation/errection of matreial at site the security deducted in the running bill be released after a period of one year from the date of final payment

39- firm will be liable to obtain required permisstion from deputy director Electrical sefty meerut before energising the work done by. him.

EXCUTIVE ENGINEER

SPECIAL CHECKS/ SPECIFICATIONS of works DURING EXECUTION

for Various activities of construction

1. EARTH WORK IN EMBANKMENT

- (i) Compact the original ground.
- (ii) Clods or hard lumps should be broken down to 15 cm. when placed in body of embankment and 6cm. when place in sub-grade portion.
- (iii) During compaction have a particulars check on :
 - (A) Soil should be spread in uniform layers not exceeding 250mm loose compacted to 200mm.
 - (B) Moisture content at the time of compaction should be + 1 to 2% of OMC.
- (iv) Density of each layer not be checked before permitting subsequent layers.
- (v) Soil test to be conducted to check PI value, which should be less than 6%

2. PREPARATION OF SUB-GRADE:

Look into the following points while preparation the base prior to laying of sub grade.

- (i) The surface should be finished to the specified grade, level and camber (2.5%) and checked by used of template, and straight edge.
- (ii) The sub-grade should be such so as to give at least 95% /97% (as stipulated in specification) of MD density and should not be in saturated condition at the time of laying of sub grade coarse (90-45mm aggregate)

3. WATER BOUND MACADAM (WBM):

Special attention on following points construction:

(i) Arrangement for lateral points confinement of arrangement must be provided. This conveniently be done by raising the shoulders in stage equal in thickness each layers of WBM.

- (ii) Do not allow spreading of coarse aggregate to a length more than that could be compacted during the next 3 days.I
- (iii) Dry roll the aggregate thoroughly correct the high/low spots. Complete rolling indicated by a loose stone piece getting crushed under the roller with out sinking.
- (iv) Rolling should start from low edges and progress gradually towards higher points. Each roller pass should overlap half the width of the earlier pass.
- (v) After rolling aggregate (ballast) apply screening (filler matter) in thin layers in operations at slow rate. The binding material should be dry and the objective should be to drive in as much binder as possible to fill up all the voids of the aggregate. Dry roll should be continued as the screenings are applied.
- (vi) Sprinkle the surface with water, sweep and roll. Avoid too much water that can soften the sub grade.
- (vii) Continue rolling till full compaction is achieved.
- (viii) P.L. of filler material should be up to 6%

QUALITY CONTROL FOR ROAD WORKS

1. TOLERANCES IN SURFACE LEVEL:

(i) Sub-grade - +20mm-25mm

(ii) Sub base (Flexible) - +10mm-20mm

(iii) Base coarse (flexible)

(A) Bituminous coarse - +6mm . 6mm

(iv) Other than bituminous

(A) Machine laid - 10mm + 15mm

(B) Manually - +15mm . 10mm

2. TEST ON EARTH WORK FOR EMBANKEMENT:

- (1) Compaction control shall be exercises for the body of embankments on each layer of earth by taking at least one test of density per 1000 cam moisture content prior compaction one test per 250 cum of soil.
 - (i) Water bound macadam :

(ii) Aggregate impact value : One test per 200cm of aggregate

(iii) Grading : One test per 100 cum.

(iv) Flakiness Index : One list per 200 cum

CONTROL TESTS FOR BITUMINOUS WORK

(1) Tack coat

As directed by Engineer-in-charge

(2) Quality of binder

Both at plant an at the time of application tack coat.

(3) Rate of spread of binder to be adjusted as per the yards sticks, at regular internal (one hour)

3. BITUMINOUS MACADAM:

- (i) Aggregate impact value One test per 50 M3 of aggregate (max.30%)
- (ii) Flakiness index elongation index of aggregate. One test 50 cum of aggregate (max 30%)
- (iii) Grading of aggregates- Two tests per day plant both on the individual constituents and mixed aggregate from the dryer. (As per job mix formula).
- (iv) Water absorption of aggregate-initially one set of 3 representative specimens for each source of supply (max 2%)
- (v) Binder content- Periodic subjects minimum of two tests per day per plant. (As per job mix).
- (vi)Control of temperature of binder at regular close intervals says one hour and aggregate for mixing and of temp. Of binder at time of mixing shall the mix at the time of laying and be between 150c to 163c provided that rolling the difference in temperature between binder and aggregate at no time exceeds 14c the discharge temperature of mix shall between 130c to 160c rolling operations shall be completed in every respect before the te4mperature of mix falls below 100c,
- (vii) Rate of spread of mixed material regular control through checks of layer thickness.

4. ASPHALTIC CONTRETE:

(i) Aggregate impact value- One test per 50 cum of aggregate (max 30%)

- (ii) Flakiness index and elongation index of aggregate . One test per 50cum of aggregate (max 30%)
- (iii) Stripping value initially. One set of 3 representative specimens for each source of supply.

Subsequently when warranted by charges in the quality of aggregate.

(Minimum retained coating 95%)

- (iv) Water absorption. Do (max. 2%)
- (v) Mix grading. One set of test on individual constituents and mixed aggregate from the dryer for each 400 tones of mix subjects to a minimum of two tests per plant per day.(As per job mix design)
- (vi) Stability of mix for each 400 tones of mix produced a set of 3 marshal specimens to be prepared and tested for stability flow value density and void content subject to a (Marshal stability not less than 820 Kg.)
- (viii)Control of one test of each 400 tones of mix subject and gradation of mix. To a minimum of two tests per day plant. Temperature controls same as that for BM.
- (viii)Rate of spread of mixed material.

(Regular control and through checks on the weight of mixed material and layer thickens).

(ix) Density of compacted layer- One test per 250 sqm.

SPECIFICATION

The Work shall be carried out strictly in accordance with.

- (A) The latest MORTH / UPPWD/UPJAL NIGAM/CPWD specifications for works.
- (B) Relevant ISI/ IRC standards for work not-coveredqunder Clause (a)
- (C) Material bearing ISI mark shall be used in works.
- (D) Non ISI material may be use only after the approval of the Engineer-in-Charge, in case ISI marked material is not available. or other wise specified in the nomenelatire the item given in BOQ of the Tender document.
- (E) Earth work in roads, WBM, BM/ SDC or MSS as per specification of MORTH (Third revision April 1955)/P.W.D.

fuelzk@fodki dk; ZgsqV&fcM i) fr ij fufonk dh fo'kk 'kršA

- 1 निविदादाता को मेरठ विकास प्राधिकरण में पंजीकृत होना एवं हॉट मिक्स प्लांट के कार्यों हेतु हॉटमिक्स प्लान्ट का स्वामित्व व उद्यान सम्बन्धी कार्यो हेतु जिला उद्यान विभाग में पंजीकरण तथा विद्युत सम्बन्धी कार्यों हेतु उ०प्र० विद्युत सुरक्षा निदेशालय द्वारा अनुमोदित लांईसेंस धारक का होना आवश्यक है।
- 2 निविदादाता द्वारा इन कार्यो की निविदायें दो अलग—अलग सील्ड बन्द लिफाफे में दी जायेगीं। जिसमें एक तकनीकी व एक वित्तीय बिड होगी।
- 3 लिफाफे के उपर <u>तकनीकी / वित्ती</u>य बिड एवं कार्य का नाम अंकित होना चाहिये तथा उन दोनों लिफाफो को एक बड़े लिफाफे में सील्ड बन्द करके निविदा बाक्स में डालना होगा। दोनों लिफाफो पर <u>तकनीकी / वित्ती</u>य बिड अंकित न होने की स्थिति में उन लिफाफों को नहीं खोला जायेगा एवं इस कारण से कोई क्लेम मान्य नहीं होगा।
- 4 प्राधिकरण द्वारा सर्वप्रथम केवल तकनीकी बिड खोलकर निम्न अर्हताओं के सापेक्ष मूल्यांकन किया जायेगा। अनुभव प्रमाण पत्रों की नोटरी द्वारा प्रमाणित छायाप्रतियां ही मान्य होंगी। तकनीकी बिड के मूल्यांकन हेतु अर्हता के अनुसार निर्धारित अंकों का विवरण उनके सम्मुख दिया गया है। अर्हतायें निम्न प्रकार है:—
 - 41%% निविदादाता द्वारा विगत तीन वर्षों की कार्याविध में सन्दर्भित कार्य की लागत का 75 प्रतिशत धनराशि के कम से कम तीन निर्माण / विकास कार्य सन्तोषजनक रूप से पूर्ण किये गये हों। कार्यों का विवरण प्रारूप एक पर आवश्यक अभिलेखों सहित संलग्न करना होगा—

15 v**a**

41% विगत तीन वर्षों में तीन अनुबन्धों से ज्यादा अनुबन्धों (सन्दर्भित कार्य की लागत का 75 प्रतिशत धनराशि या अधिक लागत) के अन्तर्गत निर्माण / विकास कार्य पूर्ण करने पर अतिरिक्त अंक (अधिकतम 5 अनुबन्धों तक 2 अंक प्रति अनुबन्ध)

10 va

42% शिविदादाता का विगत तीन वर्षों के टर्नओवर (चार्टेड एकाउन्टेन्ट से प्रमाणित बैलेन्स शीट सिहत) का विवरण संलग्न करना होगा। तीनों वर्षों का न्यूनतम टर्न ओवर सन्दर्भित कार्य के बी0ओ0क्यू0 धनांक का डेढ गुना प्रतिवर्ष होना चाहियें।

15 v**a**

421212 विगत 3 वर्षों में सन्दर्भित कार्य के बी0ओ0क्यू0 धनांक के डेढ गुने से अधिक टर्नओवर होने पर प्रत्येक डेढ गुने के गुणक पर अतिरिक्त टर्न ओवर पर अतिरिक्त अंक (प्रत्येक डेढ गुने के गुणक के टर्नओवर पर अधिकतम दो गुणकों तक 05 अंक प्रति गुणक)

10 v**a**

421 1/2 यदि विगत तीन वर्षों में किसी वर्ष टर्नओवर सन्दर्भित कार्य के बी0ओ0 क्यू0 धनांक के डेढ गुने से कम है तो अंकों में 5 val ifro Rdh dVICh की जायेगी।

43% विवरण साक्ष्य सिहत संलग्न करना होगा। वर्तमान समय में चल रहे कार्यो ;किमन्टमेन्टद्ध का विवरण साक्ष्य सिहत संलग्न करना होगा। वर्तमान समय में एक ही अनुबन्ध के अन्तर्गत न्यूनतम सन्दर्भित कार्य के बी0ओ0क्यू0 धनांक के बराबर अथवा अधिक का कार्य प्रगति में होने पर

5 **val**

43161/2 विगत 3 वर्षी में कराये गये कार्यी का विवरण संलग्न करना होगा। एक ही अनुबन्ध के अन्तर्गत न्यूनतम सन्दर्भित कार्य के बी0ओ0क्यू0 धनांक के बराबर या अधिक धनराशि के कार्य पूर्ण करने का अनुभव तीनों वर्ष होने पर

20

va

5- vfuok; Z'kr\$‰

5.1(अ) निविदादाता को न्यूनतम निविदा लागत का 25 प्रतिशत धनराशि का हैसियत (लिक्विड एसेस्टेटस) का बैंक द्वारा जारी प्रमाण–पत्र संलग्न करना होगा।

15 v**a**

5.1(ब) हैसियत (लिक्विड एसेस्टेटस) प्रमाण–पत्र निविदा लागत की 25 प्रतिशत से अधिक 50 प्रतिशत तक अतिरिक्त अंक (प्रत्येक 12.5 प्रतिशत पर 5 अंक)

10

- 5.2 तकनीकी बिंड के साथ निविदादाता को निविदा सूचना में अंकित प्रतिभूति धनराशि जमा करनी होगी।
- 5.3 तकनीकी बिंड के साथ इस आशय का एक शपथपत्र संलग्न करना होगा, जिससे यह पुष्टि हो कि उसे पूर्व में कोई कार्य समय से पूर्ण न करने अथवा विशिष्टियों / गुणवत्ता के सम्बन्ध में दिण्डत / सचेत नही किया गया है तथा यह कि वह अनुबंधित किये गये कार्य को समय से पूर्ण कराकर पश्चिमांचल विद्युत वितरण निगम जि0 को हस्तान्तरित / हस्तगत करेगा।
- 5.4 तकनीकी बिंड के साथ निविदादाता के पास कार्यरत स्टॉफ (प्रारूप 3 पर) तथा उपलब्ध मशीनरी एवं ''टी — पी'' का विवरण प्रारूप 4 पर संलग्न करना होगा।
- 6 जिन निविदादाताओं को तकनीकी बिड के मूल्याकंन में 60 प्रतिशत से अधिक अंक प्राप्त होगें, केवल उन्ही की वित्तीय बिड खोली जायेगीं। जिनकी तकनीकी बिड के मूल्याकंन में 60 प्रतिशत से कम अंक प्राप्त होगें, उनकी वित्तीय बिड बिना खोले वापिस कर दी जायेगी।
- 7 वित्तीय बिड खोलने की तिथि व समय तकनीकी बिड के चयन के उपरान्त अलग से उन निविदादाताओं को सूचित किया जायेगा जिनकी तकनीकी बिड उपयुक्त पाई जायेगीं।
- 8 किसी बिड को बिना कारण बतायें स्वीकृत करने अथवा निरस्त करने का अधिकार उपाध्यक्ष, मेरठ विकास प्राधिकरण को होगा।
- नोटः—निविदादाता द्वारा अपने उपरोक्त विवरण के साक्ष्य में सम्बन्धित अभिलेख—जैसे कार्यादेश, कार्य पूर्ण प्रमाण—पत्र आदि की नोटरी द्वारा प्रमाणित प्रति संलग्न करनी होगी।

vf/kW h vfHc,Urk

निर्माण / विकास कार्य हेतु टू—बिड पद्धति पर आमंत्रित निविदाओं की तकनीकी बिड अहर्ता हेतु निविदा की शर्ते ।

TENDER DOCUMENT NO-2

dk; Zdk ule 2— I jut dqM frjigs I sezy ik Msuxj ½ (< jk) rd igo ekk Z½ rd vicuukys dsfduljs Mby I fd V Z 33 dool0 yib ju f• k f N xd k dk; A

- 1.निविदादाता को रू० 300 / लाख से अधिक आगणन लागत के कार्यो हेतु मेरठ विकास प्राधिकरण में पंजीकृत होना आवश्यक नही है। अनुभवी फर्में निविदा क्रय कर सकती है। रू० 300 / लाख से कम लागत के कार्यो हेतु निविदादाता को मेरट विकास प्राधिकरण मे वांछित श्रेणी मे पंजीकृत होना अनिवार्य है।
- 2.निविदादाता द्वारा कार्य की निविदायें दो अलग—अलग सील बन्द लिफाफे में दी जायेगीं। जिसमें एक तकनीकी व एक वित्तीय बिड होगी।
- 3. लिफाफे के उपर <u>तकनीकी / वित्ती</u>य बिड एवं कार्य का नाम अंकित होना चाहिये तथा उन दोनों लिफाफो को एक बड़े लिफाफे में सील बन्द करके निविदा बाक्स में डालना होगा। दोनों लिफाफो पर <u>तकनीकी / वित्ती</u>य बिड अंकित न होने की स्थिति में उन लिफाफों को नहीं खोला जायेगा एवं इस कारण से कोई क्लेम मान्य नहीं होगा।
- 4. प्राधिकरण द्वारा सर्वप्रथम केवल तकनीकी बिड खोलकर निम्न अर्हताओं के सापेक्ष मूल्यांकन किया जायेगा। मूल्यांकन हेतु अर्हता के अनुसार निर्धारित अंकों का विवरण उनके सम्मुख दिया गया है। अर्हतायें निम्न प्रकार है:—
 - 41%% निविदादाता द्वारा विगत 5 वर्षों में आमंत्रित निविदा की समान प्रकृति का सरकारी व अर्धसरकारी विभाग में न्यूनतम एक वर्ष के अन्तर्गत कार्य सन्तोषजनक रूप से पूर्ण किया गया हो जिसकी न्यूनतम लागत आगणन लागत के एक तिहाई के बराबर या अधिक हो। कार्यो का विवरण प्रारूप एक पर आवश्यक अभिलेखों सहित संलग्न करना होगा।

15 v**a**

411212निविदादाता द्वारा विगत पांच वर्षो में आमंत्रित निविदा की समान प्रकृति के सरकारी व अर्द्धसरकारी विभाग में एक से अधिक अनुबन्ध के अर्न्तगत कार्य संतोष जनक रूप से पूर्ण किये गये हो जिनकी न्यूनतम लागत आगणन लागत के एक

तिहाई के बराबर या अधिक हो तो (अधिकतम 2 अनुबन्धों तक 5 अंक प्रति अनुबन्ध)

10 v**d**

411 1/2 निविदादाता को वर्तमान समय में चल रहे समान प्रकृति के सरकारी व अर्द्धसरकारी विभाग में कार्यों के किमन्टमेन्टस् का विवरण साक्ष्य सिहत संलग्न करना होगा। वर्तमान समय में एक ही अनुबन्ध के अन्तर्गत न्यूनतम आगणन लागत के एक तिहाई लागत का कार्य प्रगति में होने पर।

va

4111/2 निविदादाता को वर्तमान समय में चल रहे समान प्रकृति के सरकारी व अर्द्धसरकारी विभाग में न्यूनतम आगणन लागत के एक तिहाई लागत के एक से अधिक अनुबन्ध के कार्य प्रगति में होने पर (5 अंक प्रति अनुबन्ध)

421/1/2 निविदादाता द्वारा विगत 5 वर्षो में किसी वर्ष टर्नओवर आगणन लागत के बराबर या अधिक होने पर। निविदादाता को विगत 5वर्षो के टर्न ओवर (चार्टेड एकाउन्टेन्ट से प्रमाणित बैलेन्स शीट) का विवरण संलग्न करना होगा । 20

421212 निवदादाता द्वारा अवशेष 4 वर्षो में (4.2अ के अतिरिक्त) किसी वर्ष का टर्न ओवर आगणन लागत के बराबर या अधिक होने पर (2.5 अंक प्रतिवर्ष)

5-11/2/ निविदादाता को न्यूनतम निविदा लागत का 10 प्रतिशत धनराशि का राष्ट्रीकृत बैंक द्वारा जारी स्पुनपक भेमजे का प्रमाण पत्र (तीन माह से अधिक पुराना न हो) प्रारूप—2 पर संलग्न करना होगा।

5-11/41/2 निविदादाता के स्पुनपक ोमजे निविदा लागत की 10 प्रतिशत से अधिक 30 प्रतिशत तक अतिरिक्त अंक (प्रत्येक 10 प्रतिशत पर 5 अंक) 10

6.निविदादाता को परफोरमेन्स गारन्टी के रूप में आगणन लागत के 5 प्रतिशत धनराशि की राष्ट्रीयकृत बैंक द्वारा जारी बैंक गारन्टी तकनीकी बिड के साथ संलग्न करनी होगी जो कि डिफेक्ट लायबिल्टी पीरियड (कार्य के अन्तिम बिल भुगतान की दिनांक से एक वर्ष) के उपरान्त कार्य सन्तोषजनक होने पर अवमुक्त की जायेगी

7. निविदत्त दरे अभियन्त्रण विभाग द्वारा निर्धारित दरों से अत्याधिक न्यून होने की दशा में निविदादाता को स्पष्ट करना होगा कि वह कार्य को गुणवता पूर्वक किस प्रकार सन्तोषजनक रूप से पूर्ण करेगा। इसके लिए निविदादाता से अतिरिक्त परफारमेन्स गारन्टी ली जायेगी जो कि निविदादाता को मान्य होगी।

- 8. निविदादाता को रू0 300 / लाख से अधिक आगणन लागत के कार्यो हेतु अनुभवी फर्मो को वैधता अविध के अन्तर्गत जिलाधिकारी द्वारा जारी चिरत्र एवं हैसियत प्रमाण–पत्र की नोटरी द्वारा सत्यापित प्रति तकनीकी बिड के साथ संलग्न करनी अनिवार्य होगी ।
- 9. निविदादाता को तकनीकी बिड के साथ निविदा सूचना मे अंकित प्रतिभूति धनराशि की एफ0डी0आर0 / राष्ट्रीय बचत पत्र अधिशासी अभियन्ता, मेरट विकास प्राधिकरण के पक्ष में बन्धक कर जमा करनी होगी ।
- 10. निविदादाता फर्म के पास कार्यरत स्टाफ (प्रारूप 3 पर) तथा उपलब्ध मशीनरी एवं ''टी—पी'' का विवरण प्रारूप चार पर संलग्न कर उक्त आशय का एक शपथ पत्र भी तकनीकी बिंड के साथ प्रस्तुत करना होगा ।
- 11. निविदादाता को तकनीकी बिंड के साथ इस आशय का एक शपथ पत्र संलग्न करना होगा,जिससे यह पुष्टि हो कि उसे पूर्व में कोई कार्य समय से पूर्ण न करने अथवा विशिष्टियो / गुणवत्ता के सम्बन्ध में दिण्डत / सचेत नही किया गया है ।
- 12. निविदादाता को इस आशय से शपथ पत्र तकनीकी बिड के साथ संलग्न करना होगा कि निविदादाता की फर्म/कम्पनी अथवा उसका प्रत्येक साझेदार/निदेशक सम्पूर्ण भारत में कही से भी सजायाफ्ता/दिवालिया/बकायेदार अथवा ब्लैक लिस्टेड नही है।
- 13. निविदादाता को इस आशय से शपथ पत्र तकनीकी बिड के साथ संलग्न करना होगा कि निविदा के साथ संलग्न समस्त प्रपत्र जैसे बैलेन्स शीट,कार्य पूर्णता प्रमाण पत्र व टर्न ओवर, आदि सत्य व सही है ।
- 14.निविदा पत्र में त्रुटिपूर्ण सूचना देने अथवा गलत शपथ पत्र प्रस्तुत करने पर प्राधिकरण द्वारा धरोहर राशि व अन्य बंधक धनराशि जब्त कर ली जायेगी ।
- 15.जिन निविदादाताओं को तकनीकी बिंड के मूल्योंकन में 60 प्रतिशत से अधिक अंक प्राप्त होगें, केवल उन्हीं की वित्तीय बिंड खोली जायेगी। जिनकी तकनीकी बिंड के मूल्यॉकन में 60 प्रतिशत से कम अंक प्राप्त होगे, उनकी वित्तीय बिंड बिना खोले वापस कर दी जायेगी।
- 16.वित्तीय बिड खोलने की तिथि व समय तकनीकी बिड के चयन के उपरान्त अलग से उन निविदादाताओं को सूचित किया जायेगा जिनकी तकनीकी बिड अर्ह पाई जायेगी।

17. किसी बिड को बिना कारण बताए स्वीकृत करने अथवा निरस्त करने का अधिकार उपाध्यक्ष, मेरठ विकास प्राधिकरण को होगा।

vf/k ke h vfk; u k

APPENDIX +Aq

The following Works awarded to M/s $\~{0}$

S.No.	Name of work	Total	Date of	Stipulated	Actual	Whether
		value of work	start	date of	Date	Compensation
		done Rs.		completion	Completion	Levied for
		in lacs				delay
1						
2						
3						
4						
5						

The performance of the firm has been found to be good and they are considered capable of executing the works of magnitude up to Rs $\tilde{0}$ $\tilde{$

The financial position of the firm appears to be sound and they are capable of executing works in accordance with the specifications and with specified time schedule.

The dealings of the firm have been observed to be cordial reasonable and they are not litigious.

Dated SIGNATURE of
Officer-in-Charge of the work
Name of Officer

Official Seal

If any tenderer submits the experience certificate of on going work, then amount of work done against the agreement is to be mentioned clearly in the certificate.

APPENDIX Bq

The is to certify that dealings of M/s $\tilde{0}$ $\tilde{0$

SIGNATURE OF MANAGER OF THE BANK

Seal of the Bank Date

APPENDIX £q

I/We $\tilde{0}$ $\tilde{$

õõõõõõõõõõõõõõõõõõõõõõn my / our regular employment on the post and from the dates mentioned against them.

S.No.	Name and Address	Technical Qualification	Post held regular	Date of Employment	Details of Experience
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					

I / We understand that well experienced one graduate and one Diploma Holder / Civil Engineering as directed by E/I will have to be deployed by us on the work through out, in case we are entrusted with execution of the work in question.

I / We further understand that in the even for non-presence of such Engineers the Meerut Development Authority shall deduct @ Rs. 10,000 (Ten thousand) or Rs. 6,000 (Six thousand) as the case may be, per month from our bills which will not be refundable.

I / We further understand that the decision of Engineer-in-charge of work regards to presence and / or absence of our Engineer from the work shall be final and binding upon us.

SIGNATURE OF APPLICANT

SEAL (NOTARY PUBLIC)

APPENDIX Dq

1/	W.	/e	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	S	3/o	S	hri	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	Αŗ	plic	ant	of
õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ		or	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	F	Pa	rte	r (S)	Α	uth	orise	ed	
ре	ers	or	n (S)	of	M	1/s	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ														

Applicant for pre-qualification for the above noted work in Meerut Development Authority here by certify that I/We possess the following machinery, tools and plants, centering and shuttering, all in good working conditions.

Particulars of machinery Tools, plants centering and shuttering	No.	Estimated cost (Rs.)	Approximate age in Years and months

I /We undertake that above machineries and centering and shuttering material will remain in good working condition and in useable from throughout the currency of work.

I /We further undertake, that if, there is any reduction in the equipment, below the limit required for per-qualification, I /We will inform Engineer- in-charge, Meerut development Authority to whom application for pre-qualification is being made, within 3 days of its occurrence and arrange to make it up within another one week, failing which, the MDA will be free to impose any penalty that it may deem fit, which will be final and binding upon me/us.

APPLICANT

SEAL

(NOTARY PUBLIC)

On Stamp page (minimum denomination Rs. 10.00)

ANNEXURE -1

Te	nd	er	inv	ite	d l	by	E	хе	cu	tiv	e l	En	giı	ne	er																						
Me	er	ut	de	vel	op	om	en	t a	aut	hc	rit	y,	M	ee	ru	t (U.	Ρ.)																		
Te	nd	er	no	tice	e 1	V٥												da	ate	d	õ	õ	õ	õõ	õõ	õ											
Na	ame of													tender/																W	ork						
õõ	õõ	ő	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ								
õõ	õõ	ő	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ
õ.																																					

In consideration of the Meerut Development Authority having treated tenderor to be an eligible person whose tender may be considered the tenderor hereby agrees to the conditions that the proposals in the above invitation shall not be withdrawn within three months from the date of opening of the tender and also to the condition that in case after the tender as withdrawn his proposal within the stipulated period, the earnest money deposited by him shall be forfeited by the Meerut Development Authority. I hereby agree to the effect that if subsequent to the submission of my tender, a modification is made by me in respect of contents of my tender which is not acceptable to the Meerut Development Authority, it may be DEEMED as withdrawn of my proposal and consequently I am liable for action as above.

I abide by all the rules and regulations of Meerut Development Authority, Meerut.

Date $\tilde{0}$ $\tilde{0$

Important Notice: This undertaking is to be signed by the contractor on stamp paper of Rs. 10/- only. This is to be submitted along with the tender, failing which the tender is liable to be rejected. This undertaking shall be attested from Public Notary.

TENDER DOCUMENT

VOLUME: II

FINANCIAL BID

Tendre No-2

Name of Work: - I jut dqM frjigsI sezy ik. Msuxj ¼ < jlul rd igp ekx ½ rd vicuuly sdsfdulj sMcy I fd V Z 33 d 9010 ylb ½ f- kf N xd k dk; Z

Note: The tenderer must read carefully every page of the details, conditions of technical bid and submit in the sealed endvelop of technical bid after signing of each page of the conditions

Year -2015-16 Engineer **Executive**

FINANCIAL BID

NAME OF WORK: I jut dqM frjigs I seazy ik Nsuxj 1/4<ji kli rd igo ekk 21/2rd vicuulysdsfduljs Ncy I fd V 233 dom y lb 1/2 f · kf | V x d k dk 2

Estimated Cost: 229.56 yk[k

Cost of Tender : 5700.00

Earnest Money : 13.48

Time of Completion : 04 Month

Defects Liability Period :

Validity of Tender : 03 Month

Date of Receipt of Tender : 15.09.2015

Date of Opening of : 16.9.2015

Contractor Cat. A+

(1) Technical Bid :

(2) Financial Bid तकनीकी विड की स्वीकृति के पश्चात्

FINANCIAL - BID

Tendre No-8

NAME OF WORK: I jut dqM frjigs I sezy ik Msuxj ¼<jl&l rd igp ekz½rd vicuulysdsfduljsMcy I fdVZ33 d9ol0 ylbži f-lf¶Vxd k dk; Z

I/We hereby tender for the execution above mentioned work according to the SCHEDULE - G (Bill of quantites), Specification and terms and conditions referred to in the tender documents with in time-frame as mentioned and in accordance with the specification, design, drawings and instruction in writing and with such materials as are provided for and in all other resects in accordance with such conditions sas for as applicable.

I/We hereby agree to the percentage mentioned (Below/Above) on the printed rates of the Bill of Quantities for the execution of the work.

- 1. The Quantities are liable to wide variation upto 10% extent for which no claim whatsoever shall be entertained.
- All extra items shall be executed on the same rates as % percentage tendered by the contractor section wise on the basis of schedule of rates at the time of inviting the tenders or the current schedule rates which ever is lesser.
- All works shall be carried out as per Most C.P.W.D./U.P.P.W.D detailed specification and amendments made therein from time to time.
- 4. I.T./Trade Tax/ Labour cess as admissible time to time will be recovered from the gross amount of the bills.
- 5. In the event of any dispute Meerut courts will have exclusive jurisdiction and no suit shall be lie in any other court outside Meeut District.

	Sign. of
works.	
	the rates printed on the attached bill of quantity of the
words)	Above/below
figure)	(in
	execute the above work on% (in
	То
7.	I/Wehereby offer.
	considered for it.
	forfitted enclosed with the tender and no claim will be
	with in the validity period, his earnest money will be
	validity period of tender . If he ignore with his quoted rates
	abide to maintain his commitment of quoted rates upto the
	document in which he will give an undertaking that he is
	revenue stamp of Rs. 1/- duly signed by him with tender
6.	The contractor will enclose stamp paper of Rs. 100/- and a

Contractor,

POSTAL ADDRESS:-

A.E. M.D.A. Officer Opning Offcer Recommending

Tender Tender

ADDITIONAL CONDITONS OF THE CONTRACT

- 1. Each page of the bill of quantity. Specification and condition should be signed by the contractor.
- 2. Tenderors should given their rates after careful examination of site of work. Drawings can be seen in the office during working hours. Drawing and specification can however be modified without entitiling the contractor to any compensation due to change made there in. Change of site will also not entitle the contractor to any compensation.
- 3. The contractor must take late consideration, all fluctuations in rates of labour and materials during currency of the work, No claim what so ever on this account shall be entertained.
- 4. The units of ration as shown in the bill of quantities should be carefully seen as refer, once give by the contractor shall, remain unchanged and no execute on any account will be entrtained after the tender box has been closed.
- 5. RIGHT OF REJECTION: The department reserves the right to reject any or all the tendors without assigning and reason for doing to. It also reserves the the right to allot either a part of the work or the whole to any tendors, should the sold tenderors refuse to sign the bond. If he is given a portion of work, his proportionate earnest money shall be forfieted and his tender rejected.
- 6. INSPECTION OF THE SITE AND CHARAOTER OF SOIL:- The contractor shall inspect and examine the site and its surroundings and shall satisfy before submitting his tender as to the nature of the grounds or subsoils and specially about the through and on which excavation is to made foundations to be built not other work to be executed. In his interest he should make sure of the position of quarries, topography of the site, availability of food stuffs, labour and materials and other ammolleles before tendering. no claim for additional work or extra due to any of the above reasons will be allowed as specified in general specifications.
- 7. LINES AND LEVELS: The contractor shall be solely responsible for setting out the work and for the correctness of the possitions levels dimensions and aruments according to the plants and shall provide all necessary assistance instrument page atnkon, pollon and other materials required for the purpose. He will keep his own qualified staff and instruments to do the job. The tendered rate shall be deemed to included all this.

- 8. TOOLS AND PLANTS: The contractor shall arrange of his own tools and plants required for the proper execution and completion of the work wihtin the specified time. If any equipment is issued departmentally, rent will be recovered from the contractors bill at rates and terms to be entertained by the contractor from the Engineer in charge in writing etc.
- 9. WATCH AND WARD: The contractor shall in connection with the work provide and maintain at his own cost all guard, fencing and watch and ward required for proper execution and safety of materials etc.
- MEASUREMENTS: The Engineer in charge shall accept otherwise stated ascertain and determine by measurements the value in accordance with the contract of the work done. He shall when he require any part or parts of the work to be measured, give notice to the contractor. Who shall forth with attend or send on authorised agent of representative with the necessary labour and implements to assist the official mesauring the work in making such measurement and shall furnish all particulars required. Should the contractor fall , to attend or omit to send such Agent or representative, than the measurement made by the Engineer In charge of any official under him of approved by him, shall be taken to be the correct measurement of the work.
- 11. MATERIALS AND APPLIANCES: All reasonable facilities will be provided by the Authority to the contractor for procuring of controlled materials but the failure, on the part of the contractor to get the materials in pursuance to any permit etc. Issued on behalf of the Authority, shall not serve any ground for not carrying out his obligation under the contractor.
- 12. TIME OF WORKING: The contractor will be required to so that the usual working hourse are adhared to No work should be done in night without the permission of the Engineer in charge except when its absolutely necessary for the saying of life or property or for the safety of the work in which case the contractor shall immediately seek advice of the Engineer in charge Some times however, some work. It may be directed by Engineer in charge will have to be carried out in the night and no extra payment shall be made to the contractor on this account.
- 13. PROGRAMME AND RETURNS TO BE FURNISHED: As soon as pencil cable but not less than one month after the acceptance of his tender the contractor shall, if required to submit to Engineer in charge for his approval a program showing the order of procedure and method in which he proposed to carry out the works and shall whenever required by the Engineer in charge for his information particulars in writing of the contractor arrangement for the carrying out of works.
- 14. DRAWING AND THEIR OWNER SHIP: The acts of working drawing be got issued by the contractor from the office after his tender has been accepted., Contractor shall keep one set of drawing in the good condition ready at site and available to department Engineer staff. On completion of the work the contractor will have to return these drawing to the office.

- 15. EXTRAITION OF WORKS: The cost of extra items of the works necessitated during the execution of the work shall be determined as stated In MDA conditions of contract.
- 16. CLAIMS: The contractor shall submit to the executive engineer once in very month an account giving full and detailed particulars of all claims for any additional expenses to which the contractor may consider him self entitled and of the extra and additional works order and executed during the proceeding month. No Claim for payment for any scuh work shall be considered which has not been included in such particulars.
- 17. DEFAULT OF CONTRACTORS COMPLIANCE: Defence of the instructions of the Executive Engineer in charge on the part of the contractor will make the contractor liable to be terminated.
- 18. Will full in subordination or disobedience to the orders of the Engineering staff whether alone or in combination with another shall be considered to be an act of misbehaviour and penalty for this as decided and improved by the Executive. Engineer shall be final and binding on the contractor.
- 19. CLEARANCE OF SITE ON COMPLETION: The contractor shall at all times keep the premises free from accumulated was to materials or rubbish caused by his employees on the works and on completion of the work he shall clear away and removes from site all construction wastes, surplus materials, rubbish and temporary works of any kind and fill up borrow pits dug by him. He will leave while of the site and work clean and in a workman like conditions to the entire satisfaction of the Engineer in charge as provided in M.D.A. condition of contract. Nothing extra shall be paid to the contractor for this clearing.
- 20. FOSSHS ETC: All found, coins articles of value of antiquity and other remains of things of geological or archeological interest discovered on the site of the work shall be given the Authority by the contractor and shall be decency absolute property of the Authority.
- 21. SUSPENSION WORK: The contractor shall on the written order of the Executive Engineer, suspend the progress of the works of any part here of for such time and in such manner as may be considered necessary and shall during such suspension property protect and accrue the work so far as is necessary in the opinion of the Executive Engineer. Nothing extra shall be paid to the contractor. If such a suspension is necessary for the proper execution of the work by reasons of the weather or by some default on the part.
- 22. SUB STANDARD WONK: concrete of strength below 80% of the required strength (as determined actual tests) shall not be accepted concrete of strength not below 80% of required strength may be accepted as sub standard work at suitably reduced rates provided the use of this under strength concrete is confirmed to such members and in such quantities that the safety of the structure is not end an greed, the acceptance, of such sub standard work will be at the entirely discretion of Executive. Engineer and contractor shall not claim as a matter of right. The decision of Executive.

Engineer shall be final regarding reduction of rates for such sub standard works.

- 23. If required the contractor shall provide at his own expenses suitable accommodation for his employee including adequate sanitary arrangements and water supply.
- 24. The quantities shown in the bill of quantities are approximate and liable to variation to any extent on either side and the contractor will not be entitled to any extra rates or compensation due to any change in the quantity of the work to be done. Few items may be required to be omitted and contractor shall, not entitled to claim and profit on this account.
- 25. Joint tender will not be considered unless the film is registered one or the person signing the tender possesses the power of attorney of each other and the partners shall be considered as well as Individually or the tender calling which the tender is liable to be rejected and earnest money forfelted.
- 26. No more than one tender shoseuld to be submitted by one contractor or by one firm of contractors.
- 27. All tendered reates shall be considered to include all jobs as mentioned in the detalled specifications attached.
- 28. After acceptance of the tender the M.D.A conditions of contract with necessary amendments will be attached with the bond and the same will be binding on the contractor.
- 29. The work of electric fittings shall be taken in hand when he building work has sufficiently advanced. The contractor will have to afford all facilities to other contractor in the executive of their work so that the entire work may proceed in the execution of their work so that the entire may proceed smoothly. No compensation on this account shall be allowed.
- 30. When opening the tenders the rates shall be read out to all contractors. Who are present.
- 31. The white lime required for the work shall be brought to the site in unsiacked conditions and sinchod property and to specification on the work after approval of the Engineer in charge or his representative.
- 32. All building materials arranged by the contractor shall be subject to the approved of the Engineer in charge and rejected materials if any, will have to be removed by the contractor with in three days from the the site of the work otherwise a penalty of Rs. 50 per day may by imposed on him till the materials in questions are removed.
- 33. The materials to be supplied by the department as per schedule %C+ appended at the rates mentioned there in shall be supplied to the contractor in such lots and at such time as the Engineer in charge desired. The contractor should send his requirement will on advance to the Engineer In charge. The materials will be supplied in time as far as possible but in case of any materials belong not available no claim will be entertained in case of material

- in schedule %+ the contractor will use only those material which have been issued by the /Department unless directed by the Engineer in charge and approved by the executive Engineer.
- 34. Other materials not covered by the schedule %+can also be issued to the contractor at the discretion of the Executive Engineer In charge if available at the current market rate of stock rates which ever is higher.
- 35. All materials issued to the contractor will have to bestnoked and stored properly at the site of the work and a proper account will have to be maintained by the contractor in accordance with the instructions of the engineer in charge etc. so that checking can be done when necessary. If any surplus materials are left after the completion of the work it shall put to disposed or removed by the contractor unless he receives permission in writing from the Engineer in charge.
- 36. An order book will be kept at the site of the work in which instruction on may be recorded by the Engineer in charge or his representative. The contractor or his authorized Agent will be required to sign the order book daily in acknowledgement of the instructions. In case the contractor refuse to do so the instructions written there in shall be binding on the contractor.
- 37. VERBAL INSTRUCTIONS ISSUED BY THE OFFICERS: Any verbal instruction issued by officers from time to time in connection with; change in design or specification which the contractor thinks entitles him for extra payment shall be got confirmed in writing by the contractor. Failure to do this will not account entitle him extra payment.
- 38. The contractor shall be responsible to carry out the work according to the drawing attached with the contract bond drawing of details given by Engineer I/C. Incase the contractor executes the work of larger dimension than shown in drawing he will only be paid for as per drawings in case work executed is of less dimensions and not covered by the tolerances allowed, It will be at the discreation of Engineer Incharge to accept the work or to reject. In case the work to be accepted the payment will be made as per dimensions actually executed.
- 39. The contractor before commencing the work shall (a) part in a conspineous place at the hole of work notice, going the proper of wages which have been certified by the Engineer in charge.
- 40. The contractor shall be bound by the rules made by the Govt. with regard to the period for which wages have to be paid and deduction from wages.
- 41. The contractor shall be bound to give preference to ex-service man where available. The nearest sub regional employment exchange may be consulted regarding available of such man.

- 42. The tender rates shall includes all quarrying charges, royalty screening tools and plants carriage of materials to the site stacking and removal of all rekected materials, all taxes water arrangement etc.
- 43. Condition of M.D.A conditions of contract manual from 79/80/81/82 will also be applicable and will form part of the contractor.
- 44. No claim for extra payment on account of delay in the supply of material or machines to be issued by the M.D.A will be entertained.
- 45. The contractor must write there correct and complete postal address in tender and arrange to take the delivery of all letter. If any letter achieved back undelivered it will be contractor responsibility and contractor shall be bound for such action as may be written in the content of such letter. Any change of address must be intimated to this office for which he should obtain acknowledgements. The contractor or his agent will not refuse to delivery of letter at the site of work in M.D.A office.
- 46. Stamps duty as required on the contract deed will be borne by the contractor.
- 47. The. M.D.A. Shall have the right of accept at reduced rate sub standard and defective work provided that the sub standard or defective work out considered to be seriously defective by the Engineer In charge and the rates of works so accepted will be suitably reduced by the Executive Engineer to compensate the M.D.A and such reduction will be at the entire discretion of the Executive Engineer and shall be final and binding on the contractor.
- 48. The work must comply with the relevant U.P. PWD detailed specifications and relevant latest standards of Indian standard codes, as Specified in regarding applicability interpretation or any dispute about specifications shall be final binding on the contractor. The tenderor shall be deemed to cover the following where required to be done and no extra payment for these shall be made.
 - (a) Cutting of existing roads and making it good after completion of work in original shape and with specification of broken work.
 - (b) Cutting and making holes to the brick work or roofs (RB or RCC) or floors or plaster and making good the same after completion of the work to original shape and with specification of broken work.
 - (c) Making of pillars to first class brick in 1:3 cement and approved coarse send mortar for finding water supply lines of water storage rank as desired by the Engineer in change.

- 49. (d) Painting two coals of approved paint on all exposed faces either or H.C.I. pipe lines.flushing classes bracket and other fittings and M.S. banks and girders etc.
- 50. (e) Load jointing in HCL Boll and vent pipes lead shall be filled up to 2 cm minimum extra than chaulking by jute.
- 51. (f) The supervising staff can check by getting the lead joints opened upto 20% of all the joints the same shall have to be referred by the contractor at his own cost. If any joint found with lesser quantity of lead or cracks in lead jointing the penalty as deemed by the Engineer Incharge shall be imposed to all joints.
- 52. The contractor shall have to dispose of all surplus earth, and rubbish etc. away from the building from the site of the work as and where directed by the Eh. In charge at the time of the completion.
- 53. All the concealed pipe shall be tested as per direction of Engineer in charge and shall be concealed only when it is approved. The testing charges and equipment etc. for the same be borne by the contractor. The contractor shall be responsible for the leakage till the 10% security is released.
- 54. The tendered rate shall include all the local and other taxes, water charges, carring etc. No claim shall be entertained on such account the quantities are liable to vary on either side to anyextent for which no claim shall be entertained.
- 55. After laying and joining, the S.W. and HCL pipes and fittings shall be inspected and got tested any joint found leaking shall be done and all leaking pipes removed and replaced without extra coat.
- 56. The tendered rate shall be deemed cover the charges of making connection with water tanks and supply pipes etc. for which nothing extra shall be paid.
- 57. The floor and walls etc. cut for proper completion of the work shall be repaired and finished to its original specification.
- 58. The GI pipe work including fitting shall be tested to pressure as specified in relevant IS code to ensure that pipes have proper threads and proper materials. All leaky joints shall be made leak proof. Smoke test shall be carried out for HCL pipe line work as provided in the specifications. The S.W pipe shall be tested for 5 mtrs. Head of water nothing extra shall be paid for all these testing.
- 59. For the material supplied by the department proper accounts will have to be maintained. For cement double lock system will have to be followed.

- 60. Floor trap, nahani trap if any and W.C. shall be paid at the reduced rates i.e 90% of the rate till got tested against leakage to the satisfaction of the engineer incharge.
- 61- The contractor has to carry out the work of testing twice once before taking the final measurement and secondly any time during period of a month from the date of expiry of contract i.e maintuenance period of a month payment, for this 10% security shall be refunded only after the satisfactory comiltion of work, test maintenance period.
- 62- No payment will be made to contractor for qutting charge and its repair in brick work after completion of work for fixing percaste or cast insite, RCC shelves and no claim on this account shall be entertained.
- 63- The lambs of the doors, windows shall be finished with cement mortar 1:2:2: (1 cement, 2 coarse sand, 2 jamuna sand) against the 12 mm and 15 mm thick plastering items of bill of quantities but nothin extra will be pald on this account.

64- No clain will be made to contractor for damage to building works or materials caused by rain, any natural clainities or any other reason what so ever durinng the execution of the work and no such claim on this account shall be entertained.

I/We have carefully read the above conditions and agreed to abide by them.

EXCUTIVE ENGINEER

Meerut Development Authority Meerut

Estimate Name of work: Shifting of 33kv. line from suraj kund pulia to approch road to CCS UNIV at abu nala in Meerut

B.O.Q

7	Name of Item	Qty	Uni	t Rate (Rs.)
1	Supply of S.T. pole designated to 410 SP-55, 11 M long Rate includes all materials, labour, T&P etc. at site required for proper completion of work as per direction of E/I	2	NO.	17157.00
	S/F of double pole structure with S.T. pole designated to 410 SP-55, 11M long including the cost of Top channel of size 125*65*6mm 2.24 mt lng,guarding channel75*40*6mm 2.5 mts long, clamps for fixing channels angle iron bracing 65*65*6mm pin insulator, pole, excavation, erection, grouting, plinth & painting etc. complete in all respect work as per direction of E/I & as		5 No.	49902.00
	Supply / Sagging/ Tenioning of A.C.S.R. conductor "DOG" complete in all respect work as per direction of E/I.s ii	_	0 Kg.	243.0
	S/F of M.S. clamp made of 75x10mm including the cost of channel 125x65mm 0.30mt long for holding the top insulator pin complete in all respect as per direction of E/4 & as per norms of U.P.P.C.L.		1 No	. 176.5
	S/F of 100x50 mm M S channel for guarding 3.0m long including the cost of clamp 50x6 mm for holding the angliron nut bolts washer etc. suitable for guarding wire 4-6 S.W.G. and also two No. 4-6 SWG G.I. wire for earth wire as per norms of U.P.P.C.L.		17 No	o. 677
	S/S/Sagging of 4-6 S.W.G> G.I. earth wire as per direction of E/I S.I.No.628	2	50 Kg	g. 84.
-	S/F of cradle type guard of 4-6 S.W.G. G.I. wire for road crossing/ river crossing or any where as per norms of U.P.P.C.L. and as per direction by E/I S.L.No. 629	1	.20 N	o. 55.

		$\overline{}$		
L. V. Listing of V. arm				1
Painting of S.T. pole SP-71 including painting of X-arm	etic	0		1
la transport clamps etc. with two codes of synth	ictic	· *		, 5 g
I lead the int / Al paint over one coat of reduy illix pri				
life and to channel to ground Al. paint including co.	30.			
I was a small as rubbing & cleaning of surface	43	. 1		
required for proper completion of work as per direct	1011 01	15 N		238.00
1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1		13/1	-	V
S/F Danger board as per UPPCL norms complete in a	"	25 N		46.00
9 respect.		23 1	-	
		- 1	1	
S/E of stay set atleast 3.5mtr. Away from the pole				200
I late with galvanised 19mm. Dia. & 1.60 long st	ay rod			3 a 1
1 as Anchor plate thimble stay clamp, st	,	- 1	- 1	1
. I double scerw tighter //3.15111				2410.00
10 stay wire 1:3:6 cement complete in all respect SIN-6	531	12	NO.	2410.00
10 stay wire 1:3:6 cement compress		- 1	1	
11 S/F of barbed wire as per UPPCL norms all round th	e pole	40	Kg.	30.00
Earthing of O/H/ line pole with 2.5mt. Long 20mm of O/H/ line pole with 2.5mt. Long 20	dia G.I.			
rod including the cost of &/16 S.W.G. G.I. earth wir	e			
rod including the cost of a/10 3. W.G. of the	of work	1		
labour & T&P etc. required for proper completion of	PSR	15	No.	234.00
12 as per direction of E/I	rte of			3 10 10
Making the plinth of pole with 1:2:4 cement conce	PSR	15	No.	132.00
arcetion of \$1, note 410 SF-73 10	1.1.2 in	-	1	1
I was a conversal length of pole grouted in c.c.				
I foundation including back filling & leveling etc. rus	tes	1	1	
I I				
completion of work in ordinary soil as per direction	on of E/I	1	No.	1052.00
la amms of LIPPCI	1	1	3110.	-
c/c of 22KV pin insulator with pin on steel pole of	any			
l l a seified including holts to tastell the pole		1		
cap/cross arm with the pole for proper completic	on of	1		682.00
I - I as direction of F/I.	1/	1 5	1 No.	682.00
S/F of P.G. clamp/turn buckle as per specification	n of			100.00
	PIR	1	l8 No.	190.00
16 U.P.P.C.L. S/F of aluminium binding wireas per speciofication	on of			
	PSOL	-	20 Kg.	285.00
17 U.P.P.C.		7	-	
se standard aluminium	n	1		1 1
Supply and laying of 3 core standared aluminium	ene)			1 1
conductor 400sqmm XLPE(cross linked polythyle	rmoured			
line whether DVC hedded galanised that steel strip of	illioures			
1 1 Garaing to 15 7098(Dart-2 With lacest		1		1
1 1 22000 volts grade complete in an	respects			
I	11110010			
with the earth conductor by clamps etc. make a	as per	sal.	100 10	tr. 5086.00
with the earth conductor by clamps etc. make a UPPCL approved (make Nicco, CCI, Polycab, Dia	mond).	14	TOOLIVI	002332
10 011 Cr 461				

t	/F of 33 KV 400 sqmm XLPE insulated cable end joint ermination kit heat srink outdoor type M-seal/ Raychem hake complete in all respect as per of E/I.	20	No		34108.00
9 0	/F of RCC Split pipe 6 inch dia complete in all respect as				100.00
دا ،	per direction E/'I.	4000	M	tr.	158.58
	6/F of cable root marker in suitable masonry enclosure				245.00
٠١.	complete in all respect as per direction E/Isi no 505.	40	No). 	316.00
1	6/F of 6inch dia GI pipe complete in all respect as per				
	discretion E/I	48	M	tr.	1419.00
4	S/F of socket/ coupler for HDPE (DWC) pipe as per				
	E/I.(make Dura-line or Reck)		L		
-	(AD (ID)	30	e	ach	40.50
\dashv	Supply and fixing of bricks for protection of three side of		1		
	cable complete in all respect asper direction of E/I.si no		1		
		50	0 1	Atr.	94.00
24	507 S/F of HDPE (DWC) pipe for road crossing etc. at depth of				
	750mm below ground level for L.T. cable and 900 mm		1		
	below ground level for H.T. cable as cable carrier as per				
	below ground level for H.T. Cable as casts		1		
25	E/I. (Make Dura line of the sty	20	0	Mtr.	769.50
	200/170 mm (OD/ID) S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top	R		NO.	1021.00
26	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete.	s	5	NO.	
	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. PD Dismentling of rail/S.T. pole including removing of chann disc insulator, pin insulator, etc complete in all respect a	s	5		1021.00
2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Problem of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I	S	5	NO.	1030.00
2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. P Dismentling of rail/S.T. pole including removing of chann disc insulator, pin insulator, etc complete in all respect a per direction of E/I	s s n 11	5 30	NO.	1030.00
2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Problem of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I 8 Dsmentling of ASCR condutor complete in all respect. Problem of G.L. wire complete in all respect.	s s n 11	5 30	NO.	1030.00
2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Dismentling of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I Bosmentling of ASCR condutor complete in all respect. Dismentling of G.I. wire complete in all respect.	s s n 11	5 30	NO.	1030.00
2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Dismentling of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I Bosmentling of ASCR condutor complete in all respect. Dismentling of G.I. wire complete in all respect.	s s n 11	5 30 00 00	NO. NO. Kg. Kg.	1030.00 12.00 6.00
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Dismentling of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I Bosmentling of ASCR condutor complete in all respect. Dismentling of G.I. wire complete in all respect. Dismentling of rail/S.T. four pole struture including removing of channel disc insulator, pin insulator, etc	s n 11	5 30 00 00	NO.	1030.00 12.00 6.00
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Proceedings of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I 8 Damentling of ASCR condutor complete in all respect. Proceedings of G.I. wire complete in all respect. Proceedings of channel disc insulator, pin insulator, etc. Complete in all respect as per direction of E/I 8 Schannel of Size 100*50 mm 1.3 m Long (7.9)	s n 11 n 3	5 30 00 00 2	NO. Kg. Kg.	1030.00 12.00 6.00 . 4120.00
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Proceedings of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I 8 Damentling of ASCR condutor complete in all respect. Proceedings of Complete in all respect as per direction of E/I proceedings. S/f of M.S. Channel of size 100*50 mm 1.3 m Long (7.9) in the proceedings of E/I p	s n 11 n 3	5 30 00 00 2	NO. NO. Kg. Kg.	1030.00 12.00 6.00 . 4120.00
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Proceedings of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I 8 Damentling of ASCR condutor complete in all respect. Proceedings of Complete in all respect as per direction of E/I proceedings. S/f of M.S. Channel of size 100*50 mm 1.3 m Long (7.9) in the proceedings of E/I p	s n 11 n 3	5 30 00 00 2	NO. Kg. Kg.	1030.00 12.00 6.00 . 4120.00
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Polismentling of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I 8 Dsmentling of ASCR condutor complete in all respect. Polismentling of G.I. wire complete in all respect. Polismentling of rail/S.T. four pole struture including removing of channel disc insulator, pin insulator, etc complete in all respect as per direction of E/I S/f of M.S. Channel of size 100*50 mm 1.3 m Long (7.9 kg/m) as per direction of E/I S/f of M.S. Channel of size 75*40 mm 2.24 m Long (5.7	s n 11 n 3	5 30 00 00 2	NO. Kg. Kg.	1030.00 12.00 6.00 . 4120.00
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Proceedings of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I 8 Dsmentling of ASCR condutor complete in all respect. Proceedings of Complete in all respect as per direction of E/I S/f of M.S. Channel of size 100*50 mm 1.3 m Long (7.9 S/F, of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/F, of M.S. Channel	s n 11 n 3	5 30 00 00 2	NO. Kg. Kg.	1030.00 12.00 6.00 4120.00
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Proceedings of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect at per direction of E/I 8 Dsmentling of ASCR condutor complete in all respect. Proceedings of Complete in all respect as per direction of E/I proceedings. S/f of M.S. Channel of size 100*50 mm 1.3 m Long (7.9 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. Channel of Size (50x6 mm) suitable for securing size (50x6 mm)	s a 11 a a a a a a a a a a a a a a a a a	5 30 00 00 2	NO. Kg. Kg.	1030.00 12.00 6.00 4120.00
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Proceedings of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect a per direction of E/I 8 Dsmentling of ASCR condutor complete in all respect. Proceedings of Complete in all respect as per direction of E/I proceedings. S/f of M.S. Channel of size 100*50 mm 1.3 m Long (7.9 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. Clamp of Size (50x6 mm) suitable for securing selection of E/I proceedings of the proceedings of t	s n 11 n 3	5 30 00 00 2	NO. Kg. Kg. NO	1030.00 12.00 6.00 . 4120.00 . 608.0
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Proceedings of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect at per direction of E/I 8 Dsmentling of ASCR condutor complete in all respect. Proceedings of Complete in all respect as per direction of E/I proceedings. S/f of M.S. Channel of size 100*50 mm 1.3 m Long (7.9 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. clamp of Size (50x6 mm) suitable for securing the channel above item no. 3, 4 & 5 complete with nut the channel above item no. 3, 4 & 5 complete	s R 11 m 3	5 30 00 00 2	NO. Kg. Kg.	1030.00 12.00 6.00 . 4120.00 . 608.0
2 2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Proceedings of rail/S.T. pole including removing of channel disc insulator, pin insulator, etc complete in all respect at per direction of E/I 8 Dsmentling of ASCR condutor complete in all respect. Proceedings of Complete in all respect as per direction of E/I proceedings. S/f of M.S. Channel of size 100*50 mm 1.3 m Long (7.9 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. Channel of Size 75*40 mm 2.24 m Long (5.7 S/f of M.S. Clamp of Size (50x6 mm) suitable for securing the channel above item no. 3, 4 & 5 complete with nuts and bolt, washer etc. as per direction of E/I.	SR 111 R 3	5 30 00 00 2	NO. Kg. Kg. NO	1030.00 12.00 6.00 4120.00 . 608.0
2 2	S/F of MS Channel 2.24 mtr. Long (100x50 mm) MS top channel with clamp (7.9 kg/m) for D.P. all complete. Problem of channel with clamp (7.9 kg/m) for D.P. all complete. Problem of channel with clamp (7.9 kg/m) for D.P. all complete. Problem of channel disc insulator, pin insulator, etc complete in all respect at a per direction of E/I 8 Dsmentling of ASCR condutor complete in all respect. Problem of Complete in all respect. Problem of Complete in all respect. Problem of Complete in all respect as per direction of E/I problem of Complete in all respect as per direction of E/I problem of Complete in all respect as per direction of E/I problem of Complete in all respect as per direction of E/I problem of Complete in all respect as per direction of E/I problem of Complete in all respect as per direction of E/I problem of Complete in all respect as per direction of E/I problem of Complete in all respect as per direction of E/I problem of Complete in all respect. Problem of Complete in all respect and respect of Complete in all respect and respect of Complete in all respect. Problem of Complete in all respect and respect of Complete in all respect and respect of Complete in all respect. Problem of Complete in all respect and respect of Comple	SR 111 R 3	5 30 00 00 2	NO. Kg. Kg. NO	1030.00 12.00 6.00 4120.00 608.00 746.00

S/F of 11 kv pin insulator with pin on steel pole where specified including bolts of fasten the p				
cap/cross arm with the pole.	PSL	9	No.	119.00
sagging of dismentalled A C S R conductor	PSIL	800	Kg.	12.00
sagging of dismentalled G I conductor	PSP	300	Kg.	6.00